CTE Full Review PALO VERDE COLLEGE

Hazardous Materials Specialist, A.S Degree Fire Instructor I, Certificate of Career Preparation Fire Instructor II, Certificate of Career Preparation

REPORTING Period: FALL 2012 TO SPRING 2020

1. PURPOSE OF THE PROGRAM

"Palo Verde College provides opportunities for personal and professional growth to a diverse community of learners in an academic environment committed to student success and equity by supporting student achievement of basic skills, certificate, degree, university transfer, and career goals." PVC Mission Statement 01/2016

Note that for this report, the "program" refers collectively to the Hazardous Materials Specialist A.S. degree and to the Fire Instructor I and II certificates of career preparation, and to the various courses that constitute the associate degree and certificates. This approach was followed partly because the last PVC fire science program update report was produced in Spring 2013, and before that, the last full report was completed in 2009, so the current report is an attempt to summarize program activity—degree, certificates, courses—over the preceding seven years. This approach was followed also because virtually all students enrolling in PVC fire science courses do so primarily to upgrade skills, and not necessarily to earn a degree or certificate. For those areas in the report calling for breakout of degree and certificate award completions, SLO and PLO analysis, or where separate analyses by type of award is called for, relevant data and commentary are provided.

a. Describe the purpose of program and its mission.

The fire science program, administered via an instructional services agreement between Palo Verde College (PVC) and the Industrial Emergency Council (IEC), provides advanced training in fire management practices and procedures to professional firefighters at locations throughout California. The mission is to assist firefighters in maintaining and upgrading skills to maximize their safety, protect property and lives and to efficiently control fires. (See IEC-PVC Master Agreement in Appendix B at the end of this report.)

b. How has the program changed in the last two years? In major ways, minor, or no real changes to speak of? Explain.

Program courses have been reviewed, in joint efforts by PVC and IEC staff, over the past few years to ensure consistency with the curriculum established by the California Department of Forestry and Fire Protection, as codified in the Course Information and Required Materials (CIARM) manual. Program course review also ensures consistency with PVC's academic and curriculum standards and requirements. All course changes have been reviewed through PVC's normal curriculum process. The program also has been improved by ensuring timely and systematic course SLO assessments and instructor evaluations.

c. How does the program support the College Mission?

The program supports the College Mission by providing timely training, in this case to firefighters, to maintain and enhance their professional skills and to further their career goals, to wit: "Palo Verde College provides opportunities for personal and professional growth...by supporting student achievement of...certificate, degree....and career goals." (PVC Mission Statement 01/2016)

2. POPULATION(S) SERVED

a. Describe the populations served by the program, identifying special populations, if any.

PVC's fire science courses and program opportunities are designed to meet the needs of IEC clients, who are primarily firefighters and managers of firefighting public agencies in locations throughout California. Enrollment in fire science courses and programs is open to any person who has been admitted to the college and has met applicable pre-requisites.

b. Describe other populations that should be served by the program and identify plans for serving them in the future.

There is no other population that should be served by the program at this time.

3. ACCOMPLISHMENTS IN ACHIEVING GOALS

a. Describe progress in achieving each goal outlined in the previous CTE Update, providing evidence documenting such achievements.

The following Two-Year Plan items were presented in the most recent program review update, which, as stated on that report's cover sheet, covers the period "Fall 2010 through Spring 2012." Each item is commented on for the current report:

1. Continue to update, revise and design new curriculum as needed.

<u>2020 Comment</u>: IEC and assigned PVC staff work collaboratively and regularly to review and upgrade fire science curriculum to ensure fire science curriculum is consistent with the academic and curriculum standards of both PVC and the California Department of Forestry and Fire Protection.

2. Work with other to districts to allow PVC to offer courses in their institution's geographic area.

<u>2020 Comment</u>: PVC requests authorization annually from each community college district in which PVC's specific fire science courses are to be offered.

3. Work towards and assist with the distance learning matriculation process to increase program completers.

<u>2020 Comment</u>: Per the current instructional services agreement: "[PVC] shall assist IEC in the registration and other support services to students in order to adequately manage and control its course offerings" (Master Agreement Between Palo Verde Community College District and Industrial Emergency Council, July 18, 2016).

4. Continue implementing online registration and enrollment to better streamline operations.

<u>2020 Comment</u>: According to PVC's Admissions and Records department, the process of registering FST students in courses through IEC, while not handled online, has been greatly streamlined compared to previous years.

5. Analyze SLO data to determine course and program effectiveness.

<u>2020 Comment</u>: To date, 83 out of 84 fire science courses have been assessed the results of which assessment are provided in Section 8 of this report.

6. Continue evaluating instructors who teach FST courses.

<u>2020 Comment</u>: Evaluating the performance of instructors hired by IEC to teach FST courses is an ongoing process handled by IEC in collaboration with PVC officials. Evaluations are conducted by IEC administrators in adherence with evaluation procedures established by PVC.

b. Explain modifications, if any, of goals outlined in the previous CTE Update, providing evidence documenting such modifications.

There are no modifications of existing goals. See Section 18 Two Year Plan, later in this report, for new program goals.

4. DEMAND FOR THE PROGRAM

Is the demand for the program high, adequate, or low? Support your answer with labor market data, advisory input, etc.

The demand for trained and experienced firefighters will remain steady, though at a slower average rate compared to other occupations, for the next six years in the PVC's Inland Empire region (Riverside and San Bernardino Counties) as well as throughout California.

Estimated Employment and Projected Growth Fire Fighters							
Geographic Area (Estimated Year-Projected Year)	Estimated Employment	Projected Employment					
California (2016-2026)	29,600	31,100	1,500	5.1	21,100		
Inland Empire Area (2016-2026)	2,260	2,350	90	4.0	1,590		

Source: State of California Employment Development Department Occupational Guides

EDD Analysis:

In California, the number of Fire Fighters is expected to grow slower than average growth rate for all occupations. Jobs for Fire Fighters are expected to increase by 5.1 percent, or 1,500 jobs between 2016 and 2026.

In the Inland Empire Area, the number of Fire Fighters is expected to grow slower than average growth rate for all occupations. Jobs for Fire Fighters are expected to increase by 4.0 percent, or 90 jobs between 2016 and 2026.

5. EXTERNAL ISSUES, STRENGTHS, WEAKNESSES

 Cite relevant legislation, Chancellor's Office mandates, VTEA, Tech Prep, CalWORKs, WIA, BIG career ladders, etc. that are contributing positive or negative factors for the program. Explain each mitigating factor and the impact on the program.

There are no external issues affecting the fire science program, aside from curriculum changes, occurring from time to time, required by the California Department of Forestry and Fire Protection, and continuously monitored by PVC and IEC.

- b. List and comment on the major strengths of the program.
 - 1. Provides training to personnel in an important public safety occupation with growth potential.

- 2. Produces FTES to PVC at comparatively little cost.
- 3. Provides a continuing, successful program for PVC over the past 20+ years.
- c. List and comment on the major weaknesses of the program.

PVC is required to have authorization each year from other community college districts to offer FST courses in their districts.

6. CURRICULUM HISTORY

a. List all the courses in the program. Of the courses constituting the program, identify those that have not been successfully offered at least once during the preceding eight (8) semesters.

Of the 84 program courses listed in the following table (as well as in the 2020-21 PVC College Catalog), all but 15 have been offered in the preceding eight semesters. Program administrators at IEC and PVC review courses for relevance and timeliness and inactivate those courses that are no longer useful to the program. The decision of what course to offer to firefighting agencies, however, is largely a matter the agencies' requests and IEC providing the requested training.

	Offered in
FST Courses	past 8
	semesters
FST 080	х
FST 086	
FST 090	
FST 100	х
FST 102	
FST 106	х
FST 107	
FST 110	х
FST 111	х
FST 112	х
FST 113	х
FST 115	х
FST 116	х
FST 119	х
FST 120	
FST 121	x
FST 123	
FST 124	х
FST 125	

FST 126	
FST 148 S-90	
FST 150	х
FST 151	x
FST 152	х
FST 153	x
FST 154	х
FST 155	x
FST 156	
FST 157	x
FST 158	x
FST 159	х
FST 160	х
FST 161	х
FST 162 I-300	х
FST 163 I-400	х
FST 165	х
FST 166	х
FST 167	х
FST 173	х
FST 174	х
FST 175	х
FST 183	х
FST 219	х
FST 222	х
FST 222	х
FST 224	х
FST 226	х
FST 229	х
FST 240	х
FST 241	
FST 242	
FST 243	
FST 245	х
FST 246	x
FST 247	x
FST 248	x
FST 249	x
FST 250	x
FST 251	x
FST 252	х
FST 253	x
FST 254	x

FST 256	х
FST 257	х
FST 258	х
FST 259	х
FST 260	x
FST 261	х
FST 262	х
FST 263	х
FST 264	х
FST 266	х
FST 268	x
FST 269	x
FST 270	
FST 271	х
FST 272 S-290	x
FST 273	
FST 274	x
FST 275	x
FST 276	х
FST 277	х
FST 290	x

b. Explain in specific terms why these courses were not successfully offered. Provide a strategy for improving their success or explain why they should not be removed from the program.

As noted earlier, courses offered in this program are offered as a result of specific requests by the firefighting agencies whose staffs are recipients of the training. Most training needs stay the same year after year. Certain types of training are requested more frequently than others; hence, some courses are offered more frequently than others. That said, IEC and PVC program administrators review curriculum regularly and, when needed, courses are inactivated. A list of recently-inactivated courses is found in Appendix A at the end of this report.

7. COURSE SCHEDULING AND AVAILABILITY

Describe how the scheduling of classes in the program optimizes class availability and supports student success.

Course scheduling in fire science is handled by IEC in cooperation with the public agencies that contract with IEC to provide instruction to their firefighting personnel.

8. STUDENT LEARNING OUTCOMES (SLO)

SLO QUANTITATIVE DATA

Using the Program Level CLO Worksheets, aggregate data annually. Identify all Courses within that Program that have CLOs which map to PLO #1 in the first column of the table below. For each academic year since your last full program review, enter the % of Successful Students for the CLOs that map to PLO #1. Do the same for each PLO within the program.

AS Hazardous Materials Specialist

Average Percentage Program Learning Outcome #1							
Acquired fundam	For AS Hazardous Materials Specialist Acquired fundamental grounding in communications, science, mathematics, humanities, the						
-			n occupation, and p				
	-	four-year institutio					
Course IDs within the Program that map to PLO#1	% Successful Students 2016-17	% Successful Students 2017-18	% Successful Students 2018-19	% Successful Students 2019-20			
ADS 101			88.5				
ADS 102		76.5		90.0			
ANT 101		93.0		77.4			
AST 101		87.0					
AST 105				81.9			
BIO 100		72.9	41.0				
BIO 101			70.3				
BIO 110				87.3			
BIO 111			85.3				
BIO 210				90.3			
BIO 211			100.0				
CHD 101				74.6			
CHD 102				75.0			
CHE 101				77.9			
CRJ 103				100			
ECO 105				84.3			
ENG 101			57.7				
ENG 103							
GEL 105				76.5			
GEO 101		82.0					
GES 115		94.7					
HIS 110		78.6		82.3			
HIS 115			74.3				
HIS 120		92.7		73.6			
HIS 125			80.3	80.0			

HIS 130		88.6		96.7
HIS 140		92.5		
MAT 095				73.3
MAT 106		83.0		
MAT 110	83.6			
MAT 210		67.0		66.7
MAT 220				100.0
MUS 161				100.0
MUS 162				100.0
NSC 128				67.5
PHI 100				54.2
PHY 101			90.5	
POS 145			91.5	
PSY 101		92.5		
PSY 110				75.0
PSY 145		96.0		
PSY 150		100.0		73.0
PSY 201		100.0	93.5	92.5
PSY 205		94.0		
SOC 101		93.1		62.3
SPA 101				93.5
SPA 102				94.0
SPE 101				47.0
SPE 105				80.9
THA 191		100.0		
THA 192		100.0		
Average % of Successful Students by Year	83.6	89.2	79.4	80.9

Augrage Persontage Program Learning Outcome #2							
	Average Percentage Program Learning Outcome #2						
_		Hazardous Materials					
	• •	• • • • •	tion and maintenance	• •			
		-	ifferent types of fires,				
handling, fi	re rescue procedure	s, public relations and	applicable laws and r	egulations.			
Course IDs within	% Successful	% Successful	% Successful	% Successful			
the Program that	Students	Students	Students	Students			
map to PLO#2	2016-17	2017-18	2018-19	2019-20			
FST 080				100.0			
FST 086				100.0			
FST 090				100.0			
FST 100				100.0			
FST 102				100.0			
FST 106				100.0			
FST 107				100.0			
FST 110				100.0			
FST 111				100.0			

FST 112	100.0
FST 113	100.0
FST 115	100.0
FST 116	100.0
FST 119	100.0
FST 120	100.0
FST 121	100.0
FST 123	100.0
FST 124	100.0
FST125	100.0
FST 126	100.0
FST 148 S-90	100.0
FST 150	100.0
FST 151	100.0
FST 152	100.0
FST 153	100.0
FST 154	100.0
FST 155	100.0
FST 156	100.0
FST 157	100.0
FST 158	100.0
FST 159	100.0
FST 160	
FST 161	100.0
FST 162 I-300	100.0
FST 163 I-400	100.0
FST 165	100.0
FST 166	100.0
FST 167	100.0
FST 173	100.0
FST 174	100.0
FST 175	100.0
FST 178	100.0
FST 179	100.0
FST 183	100.0
FST 216	100.0
FST 217	100.0
FST 218	100.0
FST 219	100.0
FST 222	100.0
FST 222	100.0
FST 224	100.0
FST 226	100.0
FST 229	100.0
FST 240	100.0
FST 241	100.0
FST 242	100.0
FST 243	100.0

FST 245		100.0
FST 246		100.0
FST 247		100.0
FST 248		100.0
FST 249		100.0
FST 250		100.0
FST 251		100.0
FST 252		100.0
FST 253		100.0
FST 254		100.0
FST 256		100.0
FST 257		100.0
FST 258		100.0
FST 259		100.0
FST 260		100.0
FST 261		100.0
FST 262		100.0
FST 263		100.0
FST 264		100.0
FST 266		100.0
FST 268		100.0
FST 269		100.0
FST 270		100.0
FST 271		100.0
FST 272 S-290		100.0
FST 273		100.0
FST 274		100.0
FST 275		100.0
FST 276		100.0
FST 277		100.0
FST 290		100.0
Average % of Successful Students by Year		100.0

From the each of the tables above enter the "AVERAGE % of Successful Students by Year" in the appropriate box below.

	Average Percentage for all Program Learning Outcomes For A.S. Hazardous Materials Specialist					
PROGRAM LEARNING OUTCOME % Successful Students % Successful Students % Successful Students % Successful Students % Successful Students 2016-17 2017-18 2018-19 2019-20						
PLO #1	83.6	89.2	79.4	80.9		
PLO #2				100.0		
Average % of Successful Students by Year	83.6	89.2	79.4	90.45		

Fire Instructor I Certificate of Career Preparation

Acquired s	Average Percentage Program Learning Outcome #1 For Fire Instructor I Certificate of Career Preparation Acquired skills and knowledge to perform certain fire and EMS training and education.					
Course IDs within the Program that map to PLO#1	Course IDs within the Program that% Successful Students% Successful Students% Successful Students% Successful Students					
FST 178				100.0		
FST 179				100.0		
Average % of Successful Students by Year				100.0		

Fire Instructor II Certificate of Career Preparation

	Average Percentage Program Learning Outcome #1 For Fire Science Instructor II Certificate of Career Preparation						
Acquired skills an	Acquired skills and knowledge in fire technology instruction to perform the technique of evaluation, course writing and media uses.						
Course IDs within the Program that map to PLO#1	the Program that Students Students Students Students						
FST 216				100.0			
FST 217				100.0			
FST 218				100.0			
Average % of Successful Students by Year				100.0			

All of the course assessments were performed by IEC staff during the SP 2020 semester for courses that were offered variously in SP 2020 and in prior semesters. The score of 100.0% for the all the courses—only one, FST 160, was not assessed—reflects the fact that students enrolled in these courses are professionals who have acquired the fundamental skills and know-how in the firefighting field to perform successfully in the training provided.

SLO ACTION PLANS

In the table below, describe the action plans that your department has made since your last program review. These action plans should be in identified in the Program Level CLO Worksheets.

A review of the course and program assessments indicates there are no gaps between expected and actual performance among students taking FST courses.

Program Name	Associated PLO #	Course IDs Affected	Identified Gap	Action Plan(s)	Resources Used to Implement Plan	Outcome	Academic Year(s) this was addressed

a. List courses for which CLOs have not been assessed. Provide an explanation why assessment of these CLOs has not been performed.

Of 84 program courses, only one course, FST 160, has not yet been assessed. This will be accomplished by the end of the 2020-21 academic year.

b. Were any CLOs or PLOs revised/deleted in the past year based on assessment evaluations or revision of the Course Outline of Record? If so, indicate the courses or the program and a detailed explanation for the changes.

No CLOs or PLOs were revised or deleted in the past year.

c. Provide specific examples of course improvements resulting from the assessment of course SLOs.

Based on a review of course and program assessments, it is evident that instructors and administrators saw no need to make changes to improve assessment results. There has been discussion between IEC and PVC on possible changes to the AS degree and certificates, and to consider offering some courses in correspondence or online modes.

- d. Provide specific examples of program and certificate improvements resulting from the assessment of program SLOs.
 No changes have been made to courses or to the program as a result of program assessments.
- e. Describe any differences in CLO achievement for different modalities (online, ITV, correspondence, face-to-face).

Because all FST courses are taught face-to-face, there is no opportunity to compare CLO achievement with other modes.

9. COURSE CURRENCY

a. List the courses in the program and the year in which the course outline of each was most recently reviewed and approved by the Curriculum Committee.

The following table, from the PVC Curriculum Committee eLumen site, displays FST courses whose CORs are either overdue or due in the current, 2020-21, academic year.

			the data
		Approval Data	Update Dequired Dv
		Approval Date	Required By
гст	0.0	C /10 /201 A	C /0 /2010
FST	86	6/10/2014	6/9/2019
FST	90	6/10/2014	6/9/2019
FST	100	4/16/2013	4/15/2018
FST	102	6/10/2014	6/9/2019
FST	106	6/10/2014	6/9/2019
FST	107	5/13/2014	6/12/2014
FST	111	10/28/2003	10/27/2008
FST	112	5/13/2014	6/12/2014
FST	113	5/24/2016	5/23/2021
FST	115	6/10/2014	6/9/2019
FST	116	6/10/2014	6/9/2019
FST	119	6/10/2014	6/9/2019
FST	121	5/13/2014	5/12/2019
FST	123	12/19/2014	12/18/2019
FST	161	2/26/2008	2/25/2013
FST	173	3/24/2009	3/23/2014
FST	174	3/12/2009	3/11/2014
FST	175	1/25/2011	1/24/2016
FST	183	5/24/2016	5/23/2021
FST	222	3/24/2009	3/23/2014
FST	229	12/11/2007	12/10/2012
FST	241	6/10/2014	6/9/2019
FST	242	6/10/2014	6/9/2019
FST	243	6/10/2014	6/9/2019
FST	244	6/10/2014	6/9/2019
FST	250	5/10/2014	5/9/2021
FST	250	5/10/2016	5/9/2021
FST	290	2/24/2009	
F21	290	2/24/2009	2/23/2014

b. Describe plans to revise and update course outlines of record that have not been reviewed and approved by the Curriculum Committee within the four (4) years preceding this program review report.

PVC and IEC staff will collaborate in updating the identified CORs by the end of the 2020-21 academic year.

10. PROGRAM AND COURSE COVERAGE

a. List the courses in the program and identify which are taught by full-time faculty only, which are taught by adjunct faculty only, and which are taught by both.

All courses taught in the FST program are taught by part-time instructors, contracted by IEC and evaluated by IEC administrators in accordance with PVC faculty evaluation procedures and standards.

b. Explain how effectively the program is served with the current coverage.

All courses are taught face-to-face by personnel hired and trained by IEC. Instructors are hired to fill teaching needs as they arise.

c. Describe plans to correct deficiencies, if any, in course and program coverage.

There has been recent discussion about providing some courses in online or correspondence modes in response to the current coronavirus situation. At this point, while no courses are taught in modes other than face-to-face, IEC and PVC personnel are reviewing the feasibility of correspondence or online for certain FST courses.

11. PROFESSIONAL DEVELOPMENT

a. Describe specific professional development activities in which faculty members in the program have participated over the past four (4) years and explain how such activities benefited the program and supported and facilitated student learning outcomes.

The following are the key training and administrative personnel of IEC:

<u>Bruce Meisenbach</u> - Executive Director: Bruce served 33 years in the Fire Service and retired as a Fire Captain. He was a member of the Hazardous Materials Team, the Coordinator of the City's Office of Emergency Services program and has been affiliated with the IEC for over 25 years. Bruce became the Hazardous Material Coordinator in 2005 for IEC and appointed to Deputy Director in 2011 and was named Executive Director in 2012.

<u>Rick Franchi</u> - Director of Operations: Rick joined IEC as a Training Coordinator in October 2012 after retiring from a 30-year career in the fire service as a Fire Captain. Rick has also held a private sector job for over twenty years, working in management for an emergency services company. Rick's background in fire service coupled with his private sector management experience brings a well-rounded perspective to his role at IEC.

<u>Kevin McWhirter</u> - State Fire Training Coordinator: Kevin McWhirter comes to the IEC after spending 32 years in the fire service. Kevin served as Division Chief in Training for 14 years. As the Division Chief of Training Kevin was responsible for the training and coordination of training for multiple agencies. Kevin's primary role with the IEC is coordinating all requirements and courses approved by the State Fire Training. <u>Dan Voreyer</u> - Training Coordinator: Dan joined IEC in October 2013. Prior to this he served in the fire service for 28 years starting as a Firefighter and retiring as Fire Chief in 2007. He was a department training officer both as a Captain and Battalion Chief and also served as the Fire Marshal. Since 2007 Dan has worked as a fire and life safety consultant and as an emergency planning consultant for private companies and various local government and state agencies.

<u>Mark Ladas</u> - Director of College Services: Mark joined IEC in 2017 after serving 31 years in the fire service. Mark retired as a Fire Chief after successfully overseeing the merger of multiple departments while acting as the Fire Chief for the four cities during the entire process. With Mark's multitasking abilities, interpersonal and problem-solving skills, he has been assigned as the Director of College Services and acts as the primary liaison for all college related n

b. Describe areas of unmet professional development needs among faculty in the program and identify specifically plans to address those needs.

No unmet professional development needs have been identified at this time.

12. STUDENT SUCCESSFUL COMPLETION & RETENTION

Note: the Program Review Committee will research the required completion and retention data and provide it to program faculty members for their review and analysis for this report. **Completion** is defined as number of grades of A,B,C,CR divided by A,B,C,D,F,CR,NC,W,MW, IP. **Retention** is defined as number of grades of A,B,C,D,F,CR,NC, MW, IP divided by A,B,C,D,F,CR,NC,W,MW, IP

a. Assess semester-by-semester course completion performance in each course in the program over the preceding eight (8) semesters and compare those rates with the Institutional Set standards.

The following tables indicate that course completion is unanimously 100%, clearly exceeding the institutional set standard of 70.1%. Students enrolled in these courses are professionals seeking skill and career advancement, and are committed to completing the required training FST courses offer.

Completion		
	2012FA	2013SP
FST-080	100%	100%
FST-086	-	-
FST-090	-	-
FST-100	100%	-
FST-102	-	-

2012

ST	2012

Completion			
	Corr.	F2F	Online
FST-080	-	100%	-
FST-086	-	-	-
FST-090	-	-	-
FST-100	-	100%	-
FST-102	-	-	-

FST

_	_
_	_
	_
100%	_
	-
	-
100%	-
-	-
100%	-
-	-
-	-
-	-
-	-
-	-
-	-
-	-
-	-
-	-
-	100%
-	-
100%	100%
100%	-
100%	100%
	100%
	100%
	100%
-	-
100%	100%
	100%
-	-
	_
100%	100%
10070	100%
	100%
-	100 /6
-	-
-	-
-	100%
	100%
	100%
	100%
100%	100%
-	100%
-	100%
-	-
-	-
-	100%
-	100% 100%
-	
- - - -	100%
- - - -	100%

EST 102			
FST-103 FST-106	-	-	-
	-	-	-
FST-107	-	-	-
FST-110	-	100%	-
FST-111	-	100%	-
FST-112	-	100%	-
FST-113	-	-	-
FST-115	-	100%	-
FST-116	-	-	-
FST-119	-	-	-
FST-120	-	-	-
FST-121	-	-	-
FST-123	-	-	-
FST-124	-	-	-
FST-125	-	-	-
FST-126	-	-	-
FST-129	-	-	-
FST-133	-	100%	-
FST-148	-	-	-
FST-150	-	100%	-
FST-151	-	100%	-
FST-152	-	100%	-
FST-153	-	100%	-
FST-154	-	89%	-
FST-155	-	89%	-
FST-156	-	-	-
FST-157	-	100%	-
FST-158	-	100%	-
FST-159	-	-	-
FST-160	-	-	-
FST-161	-	100%	-
FST-162	-	100%	-
FST-163	-	100%	-
FST-164	-	-	-
FST-165	-	-	-
FST-166	-	100%	-
FST-167	-	100%	-
FST-173	-	100%	-
FST-174	-	100%	-
FST-175	-	100%	-
FST-178	-	100%	-
FST-179	-	100%	_
FST-182	-	-	-
FST-183	_	-	_
FST-186	_	100%	-
FST-194	_	100%	
FST-194	-	100%	-
FST-195	-		-
101-19/	-	-	-
FST-198 FST-199	-	-	-

CTE Full Review Fire Science 2012-2020 PRC Approved: 12.10.20 BOT Approved: 3.9.21

FST-200	-	100%
FST-201	-	-
FST-202	_	_
FST-204	_	
FST-208	_	_
FST-211	_	100%
FST-212	_	100%
FST-213	-	100%
FST-215	-	100 /6
FST-210	-	-
	-	-
FST-218	-	-
FST-219	-	-
FST-222	100%	100%
FST-223	-	-
FST-224	-	-
FST-226	-	-
FST-229	100%	100%
FST-231	-	100%
FST-240	-	-
FST-241	-	-
FST-242	-	-
FST-243	-	-
FST-244	-	-
FST-245	-	-
FST-246	-	-
FST-247	-	-
FST-248	-	-
FST-249	-	-
FST-250	100%	100%
FST-251	100%	100%
FST-252	-	-
FST-253	-	-
FST-254	-	-
FST-256	-	-
FST-257	-	-
FST-258	-	-
FST-259	-	- 1
FST-260	-	_ 1
FST-261	-	
FST-262	-	
FST-263	-	
FST-264	_	<u> </u>
FST-266	_	
FST-268		
FST-269	-	
	-	-
FST-270 FST-271	-	-
-	-	-
FST-272	-	-
FST-273	-	-
FST-274	-	-

FST-200	-	100%	-
FST-201	-	-	-
FST-202	-	-	-
FST-204	_	_	-
FST-208	-	-	-
FST-211	-	100%	-
FST-212	-	100%	-
FST-213	-	100%	-
FST-216	-	-	-
FST-217	-	_	-
FST-218		_	
FST-219	-	_	
FST-222	_	100%	
FST-223		10070	
FST-224	-	-	-
FST-224			
FST-220 FST-229	-	-	-
	-	100%	-
FST-231	-	100%	-
FST-240	-	-	-
FST-241	-	-	-
FST-242	-	-	-
FST-243	-	-	-
FST-244	-	-	-
FST-245	-	-	-
FST-246	-	-	-
FST-247	-	-	-
FST-248	-	-	-
FST-249	-	-	-
FST-250	-	100%	-
FST-251	-	100%	-
FST-252	-	-	-
FST-253	-	-	-
FST-254	-	-	-
FST-256	-	-	-
FST-257	-	-	-
FST-258	-	-	-
FST-259	-	-	-
FST-260	-	-	-
FST-261	-	-	-
FST-262	-	-	-
FST-263	-	-	-
FST-264	-	-	-
FST-266	-	-	-
FST-268	-	-	-
FST-269	-	-	-
FST-270	-	-	-
FST-271	-	-	-
FST-272	-	-	-
FST-273	_	_	_
FST-274	-	-	
101214		I	

CTE Full Review Fire Science 2012-2020 PRC Approved: 12.10.20 BOT Approved: 3.9.21

FST-275	-	-
FST-276	-	-
FST-277	-	-
FST-280	-	-
FST-290	100%	100%

FST-275	-	-	-
FST-276	-	-	-
FST-277	-	-	-
FST-280	-	-	-
FST-290	-	100%	-

|--|

Completion		
	2013FA	2014SP
FST-080	100%	100%
FST-086	-	-
FST-090	-	-
FST-100	100%	100%
FST-102	-	-
FST-103	100%	-
FST-106	-	-
FST-107	-	-
FST-110	100%	-
FST-111	97%	-
FST-112	100%	-
FST-113	-	-
FST-115	100%	-
FST-116	100%	-
FST-119	-	100%
FST-120	-	-
FST-121	-	-
FST-123	-	-
FST-124	-	-
FST-125	-	-
FST-126	-	-
FST-129	100%	-
FST-133	-	-
FST-148	-	-
FST-150	100%	100%
FST-151	100%	100%
FST-152	100%	100%
FST-153	100%	100%
FST-154	100%	100%
FST-155	100%	100%
FST-156	-	-
FST-157	100%	100%
FST-158	100%	100%
FST-159	100%	-
FST-160	-	-
FST-161	100%	100%
FST-162	100%	100%
FST-163	-	100%

FST	2013
-----	------

Completion			
-	Corr.	F2F	Online
FST-080	-	100%	-
FST-086	-	-	-
FST-090	-	-	-
FST-100	-	100%	-
FST-102	-	-	-
FST-103	-	100%	-
FST-106	-	-	-
FST-107	-	-	-
FST-110	-	100%	-
FST-111	-	97%	-
FST-112	-	100%	-
FST-113	-	-	-
FST-115	-	100%	-
FST-116	-	100%	-
FST-119	-	100%	-
FST-120	-	-	-
FST-121	-	-	-
FST-123	-	-	-
FST-124	-	-	-
FST-125	-	-	-
FST-126	-	-	-
FST-129	-	100%	-
FST-133	-	-	-
FST-148	-	-	-
FST-150	-	100%	-
FST-151	-	100%	-
FST-152	-	100%	-
FST-153	_	100%	-
FST-154	_	100%	-
FST-155	-	100%	-
FST-156	-	-	_
FST-157	-	100%	-
FST-158	_	100%	
FST-159	_	100%	_
FST-160	_	-	
FST-161	-	100%	-
FST-162	_	100%	-
FST-163	_	100%	
101-103	-	100 /0	-

FST-164	100%	_
FST-165	-	100%
FST-166	100%	100%
FST-167	100%	100%
FST-173	100%	100%
FST-174	100%	
	100%	100%
FST-175	-	100%
FST-178	-	100%
FST-179	-	100%
FST-182	-	-
FST-183	-	-
FST-186	-	-
FST-194	-	-
FST-195	-	100%
FST-197	100%	-
FST-198	100%	-
FST-199	-	100%
FST-200	-	-
FST-201	-	-
FST-202	100%	-
FST-204	-	-
FST-208	-	-
FST-211	-	-
FST-212	-	-
FST-213	-	-
FST-216	-	-
FST-217	-	-
FST-218	-	-
FST-219	-	100%
FST-222	100%	100%
FST-223	-	-
FST-224	-	-
FST-226	-	-
FST-229	100%	100%
FST-231	-	-
FST-240	100%	100%
FST-241	-	_
FST-242	_	<u> </u>
FST-242		
FST-243		
FST-244	-	
FST-245	-	-
FST-246 FST-247	-	-
	-	-
FST-248	-	-
FST-249	-	-
FST-250	100%	100%
FST-251	100%	100%
FST-252	-	-
FST-253	-	-
FST-254	-	-

	l	4000/	
FST-164	-	100%	-
FST-165	-	100%	-
FST-166	-	100%	-
FST-167	-	100%	-
FST-173	-	100%	-
FST-174	-	100%	-
FST-175	-	100%	-
FST-178	-	100%	-
FST-179	-	100%	-
FST-182	-	-	-
FST-183	-	-	-
FST-186	-	-	-
FST-194	-	-	-
FST-195	-	100%	-
FST-197	-	100%	-
FST-198	-	100%	-
FST-199	-	100%	-
FST-200	-	-	-
FST-201	-	-	-
FST-202	-	100%	-
FST-204	-	-	-
FST-208	-	-	-
FST-211	_	_	
FST-212	_	_	
FST-213	_	_	_
FST-216	_	_	_
FST-217	_		
FST-218		_	
FST-219	-	100%	
	-	100%	-
FST-222	-	100%	-
FST-223	-	-	-
FST-224	-	-	-
FST-226	-	-	-
FST-229	-	100%	-
FST-231	-	-	-
FST-240	-	100%	-
FST-241	-	-	-
FST-242	-	-	-
FST-243	-	-	-
FST-244	-	-	-
FST-245	-	-	-
FST-246	-	-	-
FST-247	-	-	-
FST-248	-	-	-
FST-249	-	-	-
FST-250	-	100%	-
FST-251	-	100%	-
FST-252	-	-	-
FST-253	-	-	-
FST-254	-	-	-
	I	1	

CTE Full Review Fire Science 2012-2020 PRC Approved: 12.10.20 BOT Approved: 3.9.21

FST-256	-	-
FST-257	-	-
FST-258	-	-
FST-259	-	-
FST-260	-	-
FST-261	-	-
FST-262	-	-
FST-263	-	-
FST-264	-	-
FST-266	-	-
FST-268	-	-
FST-269	-	-
FST-270	-	-
FST-271	-	-
FST-272	-	-
FST-273	-	-
FST-274	-	-
FST-275	-	-
FST-276	-	-
FST-277	-	-
FST-280	100%	100%
FST-290	100%	100%

FST-256	-	-	-
FST-257	-	-	-
FST-258	-	-	-
FST-259	-	-	-
FST-260	-	-	-
FST-261	-	-	-
FST-262	-	-	-
FST-263	-	-	-
FST-264	-	-	-
FST-266	-	-	-
FST-268	-	-	-
FST-269	-	-	-
FST-270	-	-	-
FST-271	-	-	-
FST-272	-	-	-
FST-273	-	-	-
FST-274	-	-	-
FST-275	-	-	-
FST-276	-	-	-
FST-277	-	-	-
FST-280	-	100%	-
FST-290	-	100%	-

Completion		
	2014FA	2015SP
FST-080	100%	100%
FST-086	-	-
FST-090	-	-
FST-100	-	-
FST-102	-	-
FST-103	-	100%
FST-106	-	-
FST-107	-	-
FST-110	100%	-
FST-111	100%	-
FST-112	100%	-
FST-113	-	-
FST-115	100%	-
FST-116	-	100%
FST-119	-	-
FST-120	-	-
FST-121	-	-
FST-123	-	-
FST-124	-	100%
FST-125	-	-
FST-126	-	-

FST 2014

Completion			
	Corr.	F2F	Online
FST-080	-	100%	-
FST-086	-	-	-
FST-090	-	-	-
FST-100	-	-	-
FST-102	-	-	-
FST-103	-	100%	-
FST-106	-	-	-
FST-107	-	-	-
FST-110	-	100%	-
FST-111	-	100%	-
FST-112	-	100%	-
FST-113	-	-	-
FST-115	-	100%	-
FST-116	-	100%	-
FST-119	-	-	-
FST-120	-	-	-
FST-121	-	-	-
FST-123	-	-	-
FST-124	-	100%	-
FST-125	-	-	-
FST-126	-	-	-

FST-129	-	-
FST-133	-	-
FST-148	-	-
FST-150	-	-
FST-151	100%	100%
FST-152	100%	100%
FST-153	100%	100%
FST-154	100%	100%
FST-155	100%	100%
FST-156	-	-
FST-157	100%	-
FST-158	100%	-
FST-159	-	-
FST-160	-	-
FST-161	100%	100%
FST-162	100%	100%
FST-163	100%	100%
FST-164	-	-
FST-165	_	100%
FST-166	-	100%
FST-167	100%	-
FST-173	100%	100%
FST-174	100%	-
FST-175	100%	100%
FST-178	100%	-
FST-179	100%	100%
FST-182	100%	100%
FST-183	-	-
FST-186	-	-
FST-194	-	100%
FST-195	-	100%
FST-197	_	100%
FST-198	-	100%
FST-199	_	100%
FST-200	100%	-
FST-201	100%	100%
FST-202	-	-
FST-204	_	100%
FST-208	_	100%
FST-211	_	-
FST-212	_	
FST-213	_	
FST-216	_	
FST-217	_	
FST-218	_	
FST-219	-	100%
FST-222	_	100%
FST-223	_	-
FST-224	_	
FST-226	_	
101220	_	

FET 400	I		
FST-129	-	-	-
FST-133	-	-	-
FST-148	-	-	-
FST-150	-	-	-
FST-151	-	100%	-
FST-152	-	100%	-
FST-153	-	100%	-
FST-154	-	100%	-
FST-155	-	100%	-
FST-156	-	-	-
FST-157	-	100%	-
FST-158	-	100%	-
FST-159	-	-	-
FST-160	-	-	-
FST-161	-	100%	-
FST-162	-	100%	-
FST-163	-	100%	-
FST-164	-	_	-
FST-165	-	100%	-
FST-166	-	100%	-
FST-167	-	100%	-
FST-173	-	100%	-
FST-174	-	100%	-
FST-175	-	100%	-
FST-178	-	100%	-
FST-179	-	100%	-
FST-182	-	100%	-
FST-183	-	-	-
FST-186	-	-	-
FST-194	-	100%	-
FST-195	_	100%	-
FST-197	-	100%	-
FST-198	-	100%	-
FST-199	-	100%	-
FST-200	_	100%	-
FST-201	-	100%	-
FST-202	_	-	-
FST-202	-	100%	-
FST-204	_	100%	-
FST-208		-	
FST-212	_		-
FST-212	_	_	
FST-213			
FST-216 FST-217	-	-	-
	-	-	-
FST-218	-	-	-
FST-219	-	100%	-
FST-222	-	100%	-
FST-223	-	-	-
FST-224	-	-	-
FST-226	-	-	-

CTE Full Review Fire Science 2012-2020 PRC Approved: 12.10.20 BOT Approved: 3.9.21

FST-229 100% - FST-231 - - FST-240 - - FST-241 - - FST-242 - - FST-243 - - FST-244 - - FST-245 - - FST-246 - - FST-246 - - FST-247 - - FST-248 - - FST-247 - - FST-248 - - FST-249 - - FST-250 100% 100% FST-251 100% 100% FST-252 - - FST-253 - - FST-254 - - FST-255 - - FST-256 - - FST-257 - - FST-258 - - FST-260 - - FST-261 - - FST-262 -			1 1
FST-240 - - FST-241 - - FST-242 - - FST-243 - - FST-243 - - FST-243 - - FST-244 - - FST-245 - - FST-246 - - FST-246 - - FST-246 - - FST-247 - - FST-248 - - FST-249 - - FST-248 - - FST-249 - - FST-250 100% 100% FST-251 100% 100% FST-252 - - FST-253 - - FST-254 - - FST-255 - - FST-256 - - FST-260 - - FST-261 - - FST-262 - - FST-263 - <td>-</td> <td>100%</td> <td>-</td>	-	100%	-
FST-241 - FST-242 - FST-243 - FST-243 - FST-244 - FST-245 - FST-246 - FST-246 - FST-247 - FST-248 - FST-249 - FST-249 - FST-250 100% FST-251 100% FST-252 - FST-253 - FST-254 - FST-255 - FST-256 - FST-257 - FST-258 - FST-259 - FST-259 - FST-260 - FST-261 - FST-262 - FST-263 - FST-264 - FST-265 - FST-266 - FST-268 - FST-269 - FST-270 - FST-271 - FST		-	-
FST-242 - - FST-243 - - FST-244 - - FST-245 - - FST-246 - - FST-246 - - FST-247 - - FST-248 - - FST-248 - - FST-249 - - FST-248 - - FST-249 - - FST-249 - - FST-249 - - FST-249 - - FST-250 100% 100% FST-251 100% 100% FST-253 - - FST-254 - - FST-255 - - FST-258 - - FST-259 - - FST-261 - - FST-262 - - FST-263 - - FST-264 - - FST-268 - <td></td> <td>-</td> <td>-</td>		-	-
FST-243 - FST-244 - FST-245 - FST-246 - FST-247 - FST-248 - FST-248 - FST-249 - FST-250 100% FST-251 100% FST-252 - FST-253 - FST-254 - FST-255 - FST-256 - FST-257 - FST-258 - FST-259 - FST-259 - FST-260 - FST-261 - FST-262 - FST-263 - FST-264 - FST-265 - FST-266 - FST-268 - FST-269 - FST-270 - FST-271 - FST-273 - FST-274 - FST-275 - FST-276 - FST		-	-
FST-244 - - FST-245 - - FST-246 - - FST-247 - - FST-248 - - FST-248 - - FST-249 - - FST-249 - - FST-250 100% 100% FST-251 100% 100% FST-252 - - FST-253 - - FST-253 - - FST-254 - - FST-255 - - FST-256 - - FST-257 - - FST-258 - - FST-259 - - FST-260 - - FST-261 - - FST-262 - - FST-263 - - FST-264 - - FST-268 - - FST-270 - - FST-270 - <td></td> <td>-</td> <td>-</td>		-	-
FST-245 - FST-246 - FST-247 - FST-247 - FST-247 - FST-248 - FST-249 - FST-250 100% FST-251 100% FST-252 - FST-253 - FST-253 - FST-254 - FST-255 - FST-256 - FST-257 - FST-258 - FST-259 - FST-259 - FST-259 - FST-260 - FST-261 - FST-262 - FST-263 - FST-264 - FST-265 - FST-266 - FST-268 - FST-270 - FST-270 - FST-271 - FST-273 - FST-274 - FST-275 - FST		-	-
FST-246 - FST-247 - FST-248 - FST-249 - FST-250 100% FST-251 100% FST-252 - FST-253 - FST-254 - FST-255 - FST-256 - FST-257 - FST-258 - FST-259 - FST-260 - FST-261 - FST-262 - FST-263 - FST-264 - FST-265 - FST-266 - FST-268 - FST-268 - FST-268 - FST-269 - FST-270 - FST-271 - FST-272 - FST-273 - FST-274 - FST-275 - FST-276 - FST-276 - FST-276 - FST	FST-244	-	-
FST-247 - FST-248 - FST-249 - FST-250 100% FST-251 100% FST-252 - FST-253 - FST-253 - FST-254 - FST-255 - FST-256 - FST-257 - FST-258 - FST-259 - FST-259 - FST-260 - FST-261 - FST-263 - FST-264 - FST-268 - FST-268 - FST-268 - FST-269 - FST-269 - FST-270 - FST-271 - FST-273 - FST-274 - FST-275 - FST-276 - FST-276 - FST-276 - FST-280 -	FST-245	-	-
FST-248 - FST-249 - FST-250 100% 100% FST-251 100% 100% FST-252 - - FST-253 - - FST-253 - - FST-253 - - FST-253 - - FST-254 - - FST-256 - - FST-257 - - FST-258 - - FST-259 - - FST-259 - - FST-260 - - FST-261 - - FST-262 - - FST-263 - - FST-264 - - FST-265 - - FST-268 - - FST-270 - - FST-270 - - FST-271 - - FST-273 - - FST-274 - -	FST-246	-	-
FST-249 - - FST-250 100% 100% FST-251 100% 100% FST-251 100% 100% FST-252 - - FST-253 - - FST-253 - - FST-253 - - FST-254 - - FST-256 - - FST-258 - - FST-258 - - FST-259 - - FST-259 - - FST-259 - - FST-260 - - FST-261 - - FST-262 - - FST-263 - - FST-264 - - FST-268 - - FST-268 - - FST-270 - - FST-271 - - FST-273 - - FST-273 - - FST-275 <t< td=""><td>FST-247</td><td>-</td><td>-</td></t<>	FST-247	-	-
FST-250 100% 100% FST-251 100% 100% FST-252 - - FST-253 - - FST-253 - - FST-254 - - FST-256 - - FST-256 - - FST-257 - - FST-258 - - FST-259 - - FST-259 - - FST-260 - - FST-260 - - FST-261 - - FST-262 - - FST-263 - - FST-264 - - FST-268 - - FST-268 - - FST-270 - - FST-271 - - FST-272 - - FST-273 - - FST-274 - - FST-275 - - FST-276 - <td>FST-248</td> <td>-</td> <td>-</td>	FST-248	-	-
FST-251 100% 100% FST-252 - - FST-253 - - FST-253 - - FST-253 - - FST-254 - - FST-256 - - FST-257 - - FST-258 - - FST-259 - - FST-259 - - FST-260 - - FST-261 - - FST-262 - - FST-263 - - FST-263 - - FST-264 - - FST-265 - - FST-266 - - FST-268 - - FST-269 - - FST-270 - - FST-271 - - FST-272 - - FST-273 - - FST-274 - - FST-275 -	FST-249	-	-
FST-252 - - FST-253 - - FST-254 - - FST-256 - - FST-256 - - FST-257 - - FST-258 - - FST-259 - - FST-259 - - FST-259 - - FST-260 - - FST-261 - - FST-262 - - FST-263 - - FST-263 - - FST-263 - - FST-264 - - FST-265 - - FST-266 - - FST-268 - - FST-269 - - FST-270 - - FST-271 - - FST-272 - - FST-273 - - FST-274 - - FST-275 - <td< td=""><td>FST-250</td><td>100%</td><td>100%</td></td<>	FST-250	100%	100%
FST-253 - - FST-254 - - FST-256 - - FST-257 - - FST-257 - - FST-257 - - FST-258 - - FST-259 - - FST-259 - - FST-260 - - FST-260 - - FST-261 - - FST-262 - - FST-263 - - FST-263 - - FST-263 - - FST-264 - - FST-265 - - FST-266 - - FST-268 - - FST-269 - - FST-270 - - FST-271 - - FST-272 - - FST-273 - - FST-274 - - FST-275 - <td< td=""><td>FST-251</td><td>100%</td><td>100%</td></td<>	FST-251	100%	100%
FST-254 - FST-256 - FST-257 - FST-257 - FST-258 - FST-259 - FST-259 - FST-260 - FST-261 - FST-262 - FST-263 - FST-263 - FST-264 - FST-266 - FST-268 - FST-268 - FST-269 - FST-270 - FST-271 - FST-272 - FST-273 - FST-273 - FST-274 - FST-275 - FST-276 - FST-277 - FST-280 -	FST-252	-	-
FST-256 - - FST-257 - - FST-258 - - FST-259 - - FST-259 - - FST-259 - - FST-260 - - FST-260 - - FST-261 - - FST-262 - - FST-263 - - FST-263 - - FST-263 - - FST-264 - - FST-265 - - FST-266 - - FST-268 - - FST-269 - - FST-270 - - FST-270 - - FST-271 - - FST-272 - - FST-273 - - FST-274 - - FST-275 - - FST-276 - - FST-280 - <td< td=""><td>FST-253</td><td>-</td><td>-</td></td<>	FST-253	-	-
FST-257 - FST-258 - FST-259 - FST-260 - FST-261 - FST-262 - FST-263 - FST-264 - FST-266 - FST-268 - FST-269 - FST-270 - FST-271 - FST-272 - FST-273 - FST-274 - FST-275 - FST-276 - FST-277 - FST-2780 -	FST-254	-	-
FST-258 - - FST-259 - - FST-260 - - FST-261 - - FST-262 - - FST-263 - - FST-263 - - FST-263 - - FST-263 - - FST-264 - - FST-266 - - FST-268 - - FST-269 - - FST-269 - - FST-270 - - FST-270 - - FST-270 - - FST-271 - - FST-272 - - FST-273 - - FST-273 - - FST-274 - - FST-275 - - FST-276 - - FST-280 - -	FST-256	-	-
FST-259 - - FST-260 - - FST-261 - - FST-262 - - FST-263 - - FST-263 - - FST-263 - - FST-264 - - FST-266 - - FST-268 - - FST-269 - - FST-269 - - FST-270 - - FST-270 - - FST-271 - - FST-272 - - FST-273 - - FST-273 - - FST-273 - - FST-274 - - FST-275 - - FST-276 - - FST-270 - - FST-276 - - FST-280 - -	FST-257	-	-
FST-260 - - FST-261 - - FST-262 - - FST-263 - - FST-263 - - FST-263 - - FST-264 - - FST-266 - - FST-268 - - FST-269 - - FST-269 - - FST-270 - - FST-270 - - FST-270 - - FST-271 - - FST-273 - - FST-273 - - FST-273 - - FST-274 - - FST-275 - - FST-276 - - FST-277 - - FST-280 - -	FST-258	-	-
FST-261 - FST-262 - FST-263 - FST-264 - FST-266 - FST-268 - FST-269 - FST-270 - FST-271 - FST-273 - FST-273 - FST-275 - FST-276 - FST-277 - FST-278 -	FST-259	-	-
FST-262 - - FST-263 - - FST-264 - - FST-266 - - FST-268 - - FST-269 - - FST-270 - - FST-271 - - FST-273 - - FST-273 - - FST-273 - - FST-274 - - FST-275 - - FST-276 - - FST-277 - - FST-280 - -	FST-260	-	-
FST-263 - - FST-264 - - FST-266 - - FST-268 - - FST-269 - - FST-270 - - FST-271 - - FST-272 - - FST-273 - - FST-273 - - FST-273 - - FST-274 - - FST-275 - - FST-276 - - FST-277 - - FST-280 - -	FST-261	-	-
FST-264 - FST-266 - FST-268 - FST-269 - FST-270 - FST-271 - FST-272 - FST-273 - FST-274 - FST-275 - FST-276 - FST-277 - FST-278 - FST-275 - FST-276 - FST-2780 -	FST-262	-	-
FST-266 - - FST-268 - - FST-269 - - FST-270 - - FST-270 - - FST-271 - - FST-272 - - FST-273 - - FST-273 - - FST-274 - - FST-275 - - FST-276 - - FST-277 - - FST-280 - -	FST-263	-	-
FST-268 - - FST-269 - - FST-270 - - FST-270 - - FST-270 - - FST-271 - - FST-272 - - FST-273 - - FST-273 - - FST-274 - - FST-275 - - FST-276 - - FST-277 - - FST-280 - -	FST-264	-	-
FST-269 - - FST-270 - - FST-271 - - FST-271 - - FST-272 - - FST-273 - - FST-273 - - FST-273 - - FST-273 - - FST-275 - - FST-276 - - FST-277 - - FST-280 - -	FST-266	-	-
FST-270 - - FST-271 - - FST-272 - - FST-273 - - FST-273 - - FST-273 - - FST-275 - - FST-276 - - FST-277 - - FST-280 - -	FST-268	-	-
FST-271 - - FST-272 - - FST-273 - - FST-273 - - FST-273 - - FST-274 - - FST-275 - - FST-276 - - FST-277 - - FST-280 - -	FST-269	-	-
FST-272 - - FST-273 - - FST-274 - - FST-275 - - FST-276 - - FST-277 - - FST-280 - -	FST-270	-	-
FST-273 - - FST-274 - - FST-275 - - FST-276 - - FST-277 - - FST-280 - -	FST-271	-	-
FST-274 - - FST-275 - - FST-276 - - FST-277 - - FST-280 - -	FST-272	-	-
FST-275 - - FST-276 - - FST-277 - - FST-280 - -	FST-273	-	-
FST-276 - FST-277 - FST-280 -	FST-274	-	-
FST-277 - - FST-280 - -	FST-275	-	-
FST-277 - - FST-280 - -	FST-276	-	-
FST-280		-	-
FST-290 100% 100%	FST-280	-	-
	FST-290	100%	100%

FST-229	- 1	100%	-
FST-231	-	-	-
FST-240	-	-	-
FST-241	-	-	-
FST-242	-	-	-
FST-243	-	-	-
FST-244	-	-	-
FST-245	-	-	-
FST-246	-	-	-
FST-247	-	-	-
FST-248	-	-	-
FST-249	-	-	-
FST-250	-	100%	-
FST-251	-	100%	-
FST-252	-	-	-
FST-253	-	-	-
FST-254	-	-	-
FST-256	-	-	-
FST-257	-	-	-
FST-258	-	-	-
FST-259	-	-	-
FST-260	-	-	-
FST-261	-	-	-
FST-262	-	-	-
FST-263	-	-	-
FST-264	-	-	-
FST-266	-	-	-
FST-268	-	-	-
FST-269	-	-	-
FST-270	-	-	-
FST-271	-	-	-
FST-272	-	-	-
FST-273	-	-	-
FST-274	-	-	-
FST-275	-	-	-
FST-276	-	-	-
FST-277	-	-	-
FST-280	-	-	-
FST-290	-	100%	-

Completion		
	2015FA	2016SP
FST-080	100%	100%
FST-086	-	-
FST-090	-	-
FST-100	-	100%

FST 2015

Completion			
	Corr.	F2F	Online
FST-080	-	100%	-
FST-086	-	-	-
FST-090	-	-	-
FST-100	-	100%	-

FST-102	-	-
FST-103	-	-
FST-106	-	-
FST-107	_	_
FST-110	100%	100%
FST-111	100%	100%
FST-112	100%	10070
FST-113	100 /6	-
FST-115	-	-
	-	-
FST-116	-	-
FST-119	-	-
FST-120	-	-
FST-121	-	-
FST-123	-	-
FST-124	100%	-
FST-125	-	-
FST-126	-	-
FST-129	-	-
FST-133	-	-
FST-148	-	-
FST-150	100%	100%
FST-151	-	100%
FST-152	100%	100%
FST-153	100%	100%
FST-154	100%	100%
FST-155	100%	100%
FST-156	10070	-
FST-157	100%	100%
FST-158	100%	100%
FST-159	100 /6	100%
FST-160	-	100%
	-	-
FST-161	100%	100%
FST-162	100%	100%
FST-163	100%	100%
FST-164	-	-
FST-165	100%	100%
FST-166	100%	100%
FST-167	100%	-
FST-173	100%	100%
FST-174	100%	100%
FST-175	100%	100%
FST-178	100%	-
FST-179	-	100%
FST-182	100%	-
FST-183	100%	-
FST-186	-	100%
FST-194	-	100%
FST-195	-	100%
FST-197	-	100%
	-	
FST-198	-	100%

FST-102	I _		
FST-102	-	-	-
FST-105	-	-	-
	-	-	-
FST-107	-	-	-
FST-110	-	100%	-
FST-111	-	100%	-
FST-112	-	100%	-
FST-113	-	-	-
FST-115	-	-	-
FST-116	-	-	-
FST-119	-	-	-
FST-120	-	-	-
FST-121	-	-	-
FST-123	-	-	-
FST-124	-	100%	-
FST-125	-	-	-
FST-126	-	-	-
FST-129	-	-	-
FST-133	-	-	-
FST-148	-	-	-
FST-150	-	100%	-
FST-151	-	100%	-
FST-152	-	100%	-
FST-153	-	100%	-
FST-154	-	100%	-
FST-155	-	100%	-
FST-156	-	-	-
FST-157	-	100%	-
FST-158	-	100%	-
FST-159	-	100%	-
FST-160	-	-	-
FST-161	-	100%	-
FST-162	-	100%	-
FST-163	-	100%	-
FST-164	-	-	-
FST-165	-	100%	-
FST-166	-	100%	-
FST-167	_	100%	-
FST-173	-	100%	_
FST-174	-	100%	_
FST-175	-	100%	-
FST-178	-	100%	_
FST-179	-	100%	_
FST-182	_	100%	
FST-183	_	100%	
FST-186	_	100%	-
FST-194	-	100%	
FST-194	-	100%	-
FST-195 FST-197	-		-
	-	100%	-
FST-198	-	100%	-

CTE Full Review Fire Science 2012-2020 PRC Approved: 12.10.20 BOT Approved: 3.9.21

FST-199	100%	100%
FST-200	-	-
FST-201	100%	_
FST-202	-	_
FST-204	100%	-
FST-208	-	100%
FST-211	_	-
FST-212	100%	100%
FST-213	100%	-
FST-216	-	
FST-217	_	
FST-218		_
FST-219	100%	100%
FST-222	100 /6	10076
		-
FST-223	-	
FST-224	-	-
FST-226	-	-
FST-229	-	-
FST-231	-	-
FST-240	-	-
FST-241	-	-
FST-242	-	-
FST-243	-	-
FST-244	-	-
FST-245	-	-
FST-246	-	-
FST-247	-	-
FST-248	-	-
FST-249	-	-
FST-250	100%	100%
FST-251	100%	-
FST-252	-	-
FST-253	-	-
FST-254	-	-
FST-256	-	-
FST-257	-	-
FST-258	-	-
FST-259	-	-
FST-260	-	-
FST-261	-	-
FST-262	-	-
FST-263	-	-
FST-264	-	-
FST-266	-	-
FST-268	-	-
FST-269	-	-
FST-270	-	-
FST-271	-	-
FST-272	-	- 1
FST-273	-	_
		<u> </u>

FOT 400	l	4000/	1 1
FST-199	-	100%	-
FST-200	-	-	-
FST-201	-	100%	-
FST-202	-	-	-
FST-204	-	100%	-
FST-208	-	100%	-
FST-211	-	-	-
FST-212	-	100%	-
FST-213	-	100%	-
FST-216	-	-	-
FST-217	-	-	-
FST-218	-	-	-
FST-219	-	100%	-
FST-222	-	-	-
FST-223	-	-	-
FST-224	-	-	-
FST-226	-	-	-
FST-229	-	-	-
FST-231	-	-	-
FST-240	-	-	-
FST-241	-	-	-
FST-242	-	-	-
FST-243	-	-	-
FST-244	-	-	-
FST-245	-	-	-
FST-246	-	-	-
FST-247	-	-	-
FST-248	-	-	-
FST-249	-	-	-
FST-250	-	100%	-
FST-251	-	100%	-
FST-252	-	-	-
FST-253	-	-	-
FST-254	-	-	-
FST-256	-	-	-
FST-257	-	-	-
FST-258	-	-	-
FST-259	-	-	-
FST-260	-	-	-
FST-261	-	-	-
FST-262	-	-	-
FST-263	-	-	-
FST-264	-	-	-
FST-266	-	-	_
FST-268	-	-	_
FST-269	-	-	
FST-270	-	-	-
FST-271	_	-	-
FST-272			
	-	-	
FST-273	-	-	-

CTE Full Review Fire Science 2012-2020 PRC Approved: 12.10.20 BOT Approved: 3.9.21

FST-274	-	-
FST-275	-	-
FST-276	-	-
FST-277	-	-
FST-280	-	-
FST-290	100%	100%

Completion		
	2016FA	2017SP
FST-080	100%	100%
FST-086	-	-
FST-090	-	-
FST-100	-	-
FST-102	-	-
FST-103	-	-
FST-106	100%	-
FST-107	-	-
FST-110	100%	-
FST-111	100%	100%
FST-112	-	-
FST-113	-	-
FST-115	-	-
FST-116	-	-
FST-119	-	-
FST-120	-	-
FST-121	-	-
FST-123	-	-
FST-124	-	-
FST-125	-	-
FST-126	-	-
FST-129	-	-
FST-133	-	-
FST-148	-	-
FST-150	100%	-
FST-151	100%	-
FST-152	100%	100%
FST-153	100%	100%
FST-154	100%	100%
FST-155	100%	100%
FST-156	-	-
FST-157	100%	100%
FST-158	100%	100%
FST-159	100%	100%
FST-160	-	-
FST-161	-	100%
FST-162	-	100%

FST-274	-	-	-
FST-275	-	-	-
FST-276	-	-	-
FST-277	-	-	-
FST-280	-	-	-
FST-290	-	100%	-

FST 2016

Completion			
	Corr.	F2F	Online
FST-080	-	100%	-
FST-086	-	-	-
FST-090	-	-	-
FST-100	-	-	-
FST-102	-	-	-
FST-103	-	-	-
FST-106	-	100%	-
FST-107	-	-	-
FST-110	-	100%	-
FST-111	-	100%	-
FST-112	-	-	-
FST-113	-	-	-
FST-115	-	-	-
FST-116	-	-	-
FST-119	-	-	-
FST-120	-	-	-
FST-121	-	-	-
FST-123	-	-	-
FST-124	-	-	-
FST-125	-	-	-
FST-126	-	-	-
FST-129	-	-	-
FST-133	-	-	-
FST-148	-	-	-
FST-150	-	100%	-
FST-151	-	100%	-
FST-152	-	100%	-
FST-153	-	100%	-
FST-154	-	100%	-
FST-155	-	100%	-
FST-156	-	-	-
FST-157	-	100%	-
FST-158	-	100%	-
FST-159	-	100%	-
FST-160	-	-	-
FST-161	-	100%	-
FST-162	-	100%	-

FST-163	-	100%
FST-164	-	-
FST-165	_	_
FST-166	100%	100%
FST-167	100%	100%
FST-173	100%	100%
FST-174	100%	
FST-174	100%	100%
	-	100%
FST-178	-	-
FST-179	-	-
FST-182	-	-
FST-183	100%	100%
FST-186	-	-
FST-194	-	-
FST-195	-	-
FST-197	-	-
FST-198	-	-
FST-199	-	-
FST-200	-	-
FST-201	-	-
FST-202	-	-
FST-204	-	-
FST-208	-	-
FST-211	-	-
FST-212	-	-
FST-213	-	-
FST-216	-	-
FST-217	-	-
FST-218	-	-
FST-219	100%	-
FST-222	100%	100%
FST-223	-	-
FST-224	_	_
FST-226		_
	-	-
FST-229	-	-
FST-231	-	-
FST-240	-	-
FST-241	-	-
FST-242	-	-
FST-243	-	-
FST-244	-	-
FST-245	-	-
FST-246	-	-
FST-247	-	-
FST-248	-	-
FST-249	-	-
FST-250	100%	100%
FST-251	100%	-
FST-252	-	-
FST-253	-	-
FS1-253	-	-

EST 162	1	100%	
FST-163 FST-164	-	100%	-
	-	-	-
FST-165	-	-	-
FST-166	-	100%	-
FST-167	-	100%	-
FST-173	-	100%	-
FST-174	-	100%	-
FST-175	-	100%	-
FST-178	-	-	-
FST-179	-	-	-
FST-182	-	-	-
FST-183	-	100%	-
FST-186	-	-	-
FST-194	-	-	-
FST-195	-	-	-
FST-197	-	-	-
FST-198	-	-	-
FST-199	-	-	-
FST-200	-	-	-
FST-201	-	-	-
FST-202	-	-	-
FST-204	-	-	-
FST-208	-	-	-
FST-211	-	_	-
FST-212	-	_	-
FST-213	-	_	-
FST-216	-	-	-
FST-217	-	-	-
FST-218	-	-	-
FST-219	-	100%	_
FST-222		100%	_
FST-223	_	-	
FST-224	_	_	_
FST-226			
	-	-	-
FST-229	-	-	-
FST-231	-	-	-
FST-240	-	-	-
FST-241	-	-	-
FST-242	-	-	-
FST-243	-	-	-
FST-244	-	-	-
FST-245	-	-	-
FST-246	-	-	-
FST-247	-	-	-
FST-248	-	-	-
FST-249	-	-	-
FST-250	-	100%	-
FST-251	-	100%	-
FST-252	-	-	-
FST-253	-	-	-

CTE Full Review Fire Science 2012-2020 PRC Approved: 12.10.20 BOT Approved: 3.9.21

FST-254	-	-
FST-256	-	-
FST-257	-	-
FST-258	-	-
FST-259	-	-
FST-260	-	-
FST-261	-	-
FST-262	-	-
FST-263	-	-
FST-264	-	-
FST-266	-	-
FST-268	-	-
FST-269	-	-
FST-270	-	-
FST-271	-	-
FST-272	-	-
FST-273	-	-
FST-274	-	-
FST-275	-	-
FST-276	-	-
FST-277	-	-
FST-280	100%	100%
FST-290	100%	100%

FST-254	-	-	-
FST-256	-	-	-
FST-257	-	-	-
FST-258	-	-	-
FST-259	-	-	-
FST-260	-	-	-
FST-261	-	-	-
FST-262	-	-	-
FST-263	-	-	-
FST-264	-	-	-
FST-266	-	-	-
FST-268	-	-	-
FST-269	-	-	-
FST-270	-	-	-
FST-271	-	-	-
FST-272	-	-	-
FST-273	-	-	-
FST-274	-	-	-
FST-275	-	-	-
FST-276	-	-	-
FST-277	-	-	-
FST-280	-	100%	-
FST-290	-	100%	-

Completion		
	2017FA	2018SP
FST-080	100%	100%
FST-086	-	-
FST-090	-	-
FST-100	-	-
FST-102	-	-
FST-103	-	-
FST-106	-	-
FST-107	-	-
FST-110	100%	100%
FST-111	100%	100%
FST-112	100%	-
FST-113	100%	-
FST-115	-	-
FST-116	-	-
FST-119	-	-
FST-120	-	-
FST-121	-	100%
FST-123	-	-
FST-124	-	-
FST-125	-	-

FST 2017

Completion			
	Corr.	F2F	Online
FST-080	-	100%	-
FST-086	-	-	-
FST-090	-	-	-
FST-100	-	-	-
FST-102	-	-	-
FST-103	-	-	-
FST-106	-	-	-
FST-107	-	-	-
FST-110	-	100%	-
FST-111	-	100%	-
FST-112	-	100%	-
FST-113	-	100%	-
FST-115	-	-	-
FST-116	-	-	-
FST-119	-	-	-
FST-120	-	-	-
FST-121	-	100%	-
FST-123	-	-	-
FST-124	-	-	-
FST-125	-	-	-

FST-126	-	-
FST-129	-	-
FST-133	-	-
FST-148	-	-
FST-150	100%	100%
FST-151	100%	-
FST-152	100%	100%
FST-153	100%	100%
FST-154	100%	100%
FST-155	100%	100%
	100%	100%
FST-156	-	-
FST-157	100%	100%
FST-158	100%	100%
FST-159	100%	100%
FST-160	100%	100%
FST-161	-	100%
FST-162	-	-
FST-163	-	-
FST-164	-	-
FST-165	-	100%
FST-166	100%	100%
FST-167	100%	100%
FST-173	100%	100%
FST-174	100%	100%
FST-175	100%	100%
FST-178	-	100%
FST-179	-	-
FST-182	-	-
FST-183	-	-
FST-186	_	_
FST-194	_	_
FST-195	_	_
FST-197		_
		-
FST-198	-	-
FST-199	-	-
FST-200	-	-
FST-201	-	-
FST-202	-	-
FST-204	-	-
FST-208	-	-
FST-211	-	-
FST-212	-	-
FST-213	-	-
FST-216	-	-
FST-217	-	-
FST-218	-	-
FST-219	100%	-
FST-222	100%	100%
FST-223	-	100%
FST-224	-	-
101227	1	

FST-126FST-129FST-133FST-133FST-148FST-150-100%FST-151-100%FST-152-100%FST-153-100%FST-154-100%FST-155-100%FST-156FST-157-100%FST-158-100%FST-159-100%FST-160-100%FST-161-100%FST-162FST-163FST-164FST-165-100%FST-166-100%FST-167-100%FST-173-100%FST-174-100%FST-175-100%FST-178-100%FST-179
FST-133 - - FST-148 - - FST-150 - 100% - FST-151 - 100% - FST-152 - 100% - FST-152 - 100% - FST-152 - 100% - FST-153 - 100% - FST-154 - 100% - FST-155 - 100% - FST-156 - - - FST-157 - 100% - FST-158 - 100% - FST-159 - 100% - FST-160 - 100% - FST-161 - 100% - FST-162 - - - FST-163 - - - FST-164 - - - FST-165 - 100% - FST-166 - 100% - FST-173 - 100%
FST-148 - - - FST-150 - 100% - FST-151 - 100% - FST-151 - 100% - FST-152 - 100% - FST-153 - 100% - FST-153 - 100% - FST-154 - 100% - FST-155 - 100% - FST-156 - - - FST-157 - 100% - FST-158 - 100% - FST-158 - 100% - FST-159 - 100% - FST-160 - 100% - FST-161 - 100% - FST-162 - - - FST-163 - - - FST-164 - - - FST-165 - 100% - FST-166 - 100% - FST-173
FST-150 - 100% - FST-151 - 100% - FST-152 - 100% - FST-152 - 100% - FST-153 - 100% - FST-153 - 100% - FST-153 - 100% - FST-155 - 100% - FST-156 - - - FST-157 - 100% - FST-158 - 100% - FST-159 - 100% - FST-160 - 100% - FST-161 - 100% - FST-162 - - - FST-163 - - - FST-163 - - - FST-164 - - - FST-165 - 100% - FST-166 - 100% - FST-173 - 100% - FST-174
FST-151 - 100% - FST-152 - 100% - FST-153 - 100% - FST-153 - 100% - FST-154 - 100% - FST-155 - 100% - FST-156 - - - FST-156 - - - FST-157 - 100% - FST-158 - 100% - FST-159 - 100% - FST-160 - 100% - FST-161 - 100% - FST-162 - - - FST-163 - - - FST-163 - - - FST-164 - - - FST-165 - 100% - FST-166 - 100% - FST-173 - 100% - FST-174 - 100% - FST-178
FST-152 - 100% - FST-153 - 100% - FST-154 - 100% - FST-155 - 100% - FST-155 - 100% - FST-156 - - - FST-157 - 100% - FST-158 - 100% - FST-158 - 100% - FST-159 - 100% - FST-160 - 100% - FST-161 - 100% - FST-162 - - - FST-163 - - - FST-163 - - - FST-164 - - - FST-165 - 100% - FST-166 - 100% - FST-173 - 100% - FST-174 - 100% - FST-178 - 100% -
$\begin{array}{c ccccccccccccccccccccccccccccccccccc$
FST-154 - 100% - FST-155 - 100% - FST-156 - - - FST-156 - 100% - FST-157 - 100% - FST-158 - 100% - FST-158 - 100% - FST-159 - 100% - FST-160 - 100% - FST-161 - 100% - FST-162 - - - FST-163 - - - FST-163 - - - FST-164 - - - FST-165 - 100% - FST-166 - 100% - FST-167 - 100% - FST-173 - 100% - FST-174 - 100% - FST-178 - 100% -
$\begin{array}{c ccccccccccccccccccccccccccccccccccc$
FST-156 - - FST-157 - 100% - FST-158 - 100% - FST-158 - 100% - FST-159 - 100% - FST-160 - 100% - FST-161 - 100% - FST-161 - 100% - FST-162 - - - FST-163 - - - FST-163 - - - FST-163 - - - FST-163 - - - FST-164 - - - FST-165 - 100% - FST-166 - 100% - FST-167 - 100% - FST-173 - 100% - FST-174 - 100% - FST-178 - 100% -
FST-157 - 100% - FST-158 - 100% - FST-159 - 100% - FST-160 - 100% - FST-161 - 100% - FST-161 - 100% - FST-162 - - - FST-162 - - - FST-163 - - - FST-163 - - - FST-164 - - - FST-165 - 100% - FST-166 - 100% - FST-167 - 100% - FST-173 - 100% - FST-174 - 100% - FST-175 - 100% - FST-178 - 100% -
FST-158 - 100% - FST-159 - 100% - FST-160 - 100% - FST-161 - 100% - FST-162 - - - FST-162 - - - FST-163 - - - FST-163 - - - FST-163 - - - FST-163 - - - FST-164 - - - FST-165 100% - - FST-165 100% - - FST-166 100% - - FST-173 100% - - FST-173 100% - - FST-175 100% - - FST-178 100% - -
FST-159 - 100% - FST-160 - 100% - FST-161 - 100% - FST-162 - - - FST-163 - - - FST-163 - - - FST-163 - - - FST-163 - - - FST-164 - - - FST-165 - 100% - FST-166 - 100% - FST-167 - 100% - FST-173 - 100% - FST-173 - 100% - FST-175 - 100% - FST-178 - 100% -
FST-160 - 100% - FST-161 - 100% - FST-162 - - - FST-163 - - - FST-163 - - - FST-164 - - - FST-165 - 100% - FST-166 - 100% - FST-167 - 100% - FST-173 - 100% - FST-173 - 100% - FST-174 - 100% - FST-175 - 100% - FST-178 - 100% -
FST-161 - 100% - FST-162 - - - FST-163 - - - FST-164 - - - FST-165 - 100% - FST-166 - 100% - FST-167 - 100% - FST-173 - 100% - FST-173 - 100% - FST-173 - 100% - FST-174 - 100% - FST-175 - 100% - FST-178 - 100% -
FST-162 - - FST-163 - - FST-163 - - FST-164 - - FST-165 100% - FST-166 100% - FST-167 100% - FST-173 100% - FST-173 100% - FST-174 100% - FST-175 100% - FST-178 100% -
FST-163 - - FST-164 - - FST-165 - 100% FST-166 - 100% FST-167 - 100% FST-167 - 100% FST-173 - 100% FST-173 - 100% FST-174 - 100% FST-175 - 100% FST-178 - 100%
FST-164 - - FST-165 - 100% - FST-166 - 100% - FST-167 - 100% - FST-167 - 100% - FST-173 - 100% - FST-174 - 100% - FST-175 - 100% - FST-178 - 100% -
FST-165 - 100% - FST-166 - 100% - FST-167 - 100% - FST-173 - 100% - FST-174 - 100% - FST-175 - 100% - FST-178 - 100% -
FST-165 - 100% - FST-166 - 100% - FST-167 - 100% - FST-173 - 100% - FST-174 - 100% - FST-175 - 100% - FST-178 - 100% -
FST-166 - 100% - FST-167 - 100% - FST-173 - 100% - FST-174 - 100% - FST-175 - 100% - FST-178 - 100% -
FST-167 - 100% - FST-173 - 100% - FST-174 - 100% - FST-175 - 100% - FST-178 - 100% -
FST-173 - 100% - FST-174 - 100% - FST-175 - 100% - FST-178 - 100% -
FST-174 - 100% - FST-175 - 100% - FST-178 - 100% -
FST-175 - 100% - FST-178 - 100% -
FST-178 - 100% -
FST-182
FST-183
FST-186
FST-194
FST-195
FST-197
FST-198 FST-199
FST-200
FST-201
FST-202
FST-204
FST-208
FST-211
FST-212
FST-213
FST-216
FST-217
FST-218
FST-219 - 100% -
FST-222 - 100% -
FST-223 - 100% -

CTE Full Review Fire Science 2012-2020 PRC Approved: 12.10.20 BOT Approved: 3.9.21

FST-226	-	-
FST-229	-	-
FST-231	-	-
FST-240	-	-
FST-241	-	-
FST-242	-	-
FST-243	-	-
FST-244	-	-
FST-245	100%	100%
FST-246	100%	100%
FST-247	100%	-
FST-248	-	100%
FST-249	-	100%
FST-250	100%	100%
FST-251	100%	100%
FST-252	100%	100%
FST-253	100%	-
FST-254	100%	-
FST-256	100%	-
FST-257	100%	100%
FST-258	100%	100%
FST-259	100%	100%
FST-260	100%	100%
FST-261	100%	100%
FST-262	100%	100%
FST-263	100%	100%
FST-264	100%	100%
FST-266	-	-
FST-268	-	100%
FST-269	-	100%
FST-270	-	-
FST-271	-	100%
FST-272	-	100%
FST-273	-	-
FST-274	-	-
FST-275	-	-
FST-276	-	-
FST-277	-	-
FST-280	-	-
FST-290	100%	100%
EQT	2019	1

FST-226	-	-	-
FST-229	-	-	-
FST-231	-	-	-
FST-240	-	-	-
FST-241	-	-	-
FST-242	-	-	-
FST-243	-	-	-
FST-244	-	-	-
FST-245	-	100%	-
FST-246	-	100%	-
FST-247	-	100%	-
FST-248	-	100%	-
FST-249	-	100%	-
FST-250	-	100%	-
FST-251	-	100%	-
FST-252	-	100%	-
FST-253	-	100%	-
FST-254	-	100%	-
FST-256	-	100%	-
FST-257	-	100%	-
FST-258	-	100%	-
FST-259	-	100%	-
FST-260	-	100%	-
FST-261	-	100%	-
FST-262	-	100%	-
FST-263	-	100%	-
FST-264	-	100%	-
FST-266	-	-	-
FST-268	-	100%	-
FST-269	-	100%	-
FST-270	-	-	-
FST-271	-	100%	-
FST-272	-	100%	-
FST-273	-	-	-
FST-274	-	-	-
FST-275	-	-	-
FST-276	-	-	-
FST-277	-	-	-
FST-280	-	-	-
FST-290	-	100%	-
			I

Completion		
	2018FA	2019SP
FST-080	100%	100%
FST-086	-	-
FST-090	-	-

FST 2018

Completion			
	Corr.	F2F	Online
FST-080	-	100%	-
FST-086	-	-	-
FST-090	-	-	_

FST-100	-	-
FST-102	-	-
FST-103	-	-
FST-106	-	-
FST-107	-	-
FST-110	100%	100%
FST-111	100%	100%
FST-112	100%	10070
FST-113	100%	
FST-115	100 /6	-
	-	-
FST-116	-	-
FST-119	-	-
FST-120	-	-
FST-121	100%	-
FST-123	-	-
FST-124	-	-
FST-125	-	-
FST-126	-	-
FST-129	-	-
FST-133	-	-
FST-148	-	-
FST-150	100%	100%
FST-151	100%	100%
FST-152	100%	100%
FST-153	100%	100%
FST-154	100%	100%
FST-155	100%	100%
FST-156	-	-
FST-157	100%	100%
FST-158	100%	100%
FST-159	100%	-
FST-160	-	-
FST-161	-	100%
FST-162	-	-
FST-163	100%	_
FST-164	-	_
FST-165	-	100%
FST-166	100%	100%
FST-167	100%	100%
FST-173	100%	-
FST-173	100%	- 100%
	100%	100%
FST-175	-	-
FST-178	-	-
FST-179	-	-
FST-182	-	-
FST-183	-	100%
FST-186	-	-
FST-194	-	-
FST-195	-	-
FST-197	-	-

I	1		
FST-100	-	-	-
FST-102	-	-	-
FST-103	-	-	-
FST-106	-	-	-
FST-107	-	-	-
FST-110	-	100%	-
FST-111	-	100%	-
FST-112	-	100%	-
FST-113	-	100%	-
FST-115	-	-	-
FST-116	-	-	-
FST-119	-	-	-
FST-120	-	-	-
FST-121	-	100%	-
FST-123	-	-	-
FST-124	-	-	-
FST-125	-	-	-
FST-126	-	-	-
FST-129	-	-	-
FST-133	-	-	-
FST-148	-	-	-
FST-150	-	100%	-
FST-151	-	100%	-
FST-152	-	100%	-
FST-153	-	100%	-
FST-154	-	100%	-
FST-155	-	100%	-
FST-156	-	-	-
FST-157	-	100%	-
FST-158	-	100%	-
FST-159	-	100%	-
FST-160	-	-	-
FST-161	-	100%	-
FST-162	-	-	-
FST-163	-	100%	-
FST-164	-	-	-
FST-165	-	100%	-
FST-166	-	100%	
FST-167	-	100%	
FST-173	_	100%	
FST-174	-	100%	-
FST-175	_	-	
FST-178	_	_	
FST-179			
FST-182	-		
	-	-	-
FST-183 FST-186	-	100%	-
	-	-	-
FST-194	-	-	-
FST-195	-	-	-
FST-197	-	-	-

CTE Full Review Fire Science 2012-2020 PRC Approved: 12.10.20 BOT Approved: 3.9.21

FST-198	-	-
FST-199	-	-
FST-200	-	-
FST-201	-	-
FST-202	-	-
FST-204	_	_
FST-208	_	_
FST-211	_	_
FST-212		_
FST-213		
FST-216	_	_
FST-217	-	-
	-	-
FST-218	-	-
FST-219	100%	-
FST-222	100%	100%
FST-223	-	100%
FST-224	-	100%
FST-226	100%	-
FST-229	-	-
FST-231	-	-
FST-240	-	-
FST-241	-	-
FST-242	-	-
FST-243	-	-
FST-244	-	-
FST-245	-	100%
FST-246	100%	100%
FST-247	-	100%
FST-248	-	100%
FST-249	-	100%
FST-250	100%	100%
FST-251	100%	100%
FST-252	-	100%
FST-253	-	100%
FST-254	-	-
FST-256	-	100%
FST-257	100%	100%
FST-258	100%	100%
FST-259	100%	100%
FST-260	100%	100%
FST-261	100%	-
FST-262	100%	-
FST-263	100%	-
FST-264	100%	-
FST-266	-	-
FST-268	-	-
FST-269	-	100%
FST-270	-	-
FST-271	-	
FST-272	-	100%
101-212	-	10070

FOT 400	I	Ì	
FST-198	-	-	-
FST-199	-	-	-
FST-200	-	-	-
FST-201	-	-	-
FST-202	-	-	-
FST-204	-	-	-
FST-208	-	-	-
FST-211	-	-	-
FST-212	-	-	-
FST-213	-	-	-
FST-216	-	-	-
FST-217	-	-	-
FST-218	-	-	-
FST-219	-	100%	-
FST-222	-	100%	-
FST-223	-	100%	-
FST-224	-	100%	-
FST-226	-	100%	-
FST-229	-	-	-
FST-231	-	-	-
FST-240	-	-	-
FST-241	-	-	-
FST-242	-	-	-
FST-243	-	-	-
FST-244	-	-	-
FST-245	-	100%	-
FST-246	-	100%	-
FST-247	-	100%	-
FST-248	-	100%	-
FST-249	-	100%	-
FST-250	-	100%	-
FST-251	-	100%	-
FST-252	-	100%	-
FST-253	-	100%	-
FST-254	-	-	-
FST-256	-	100%	-
FST-257	-	100%	-
FST-258	-	100%	-
FST-259	-	100%	_
FST-260	_	100%	
FST-261	_	100%	_
FST-262	_	100%	
FST-263	_	100%	_
FST-264		100%	
FST-266	_	10070	
FST-268	-	-	-
FST-269	-	-	-
	-	100%	-
FST-270	-	-	-
FST-271	-	-	-
FST-272	-	100%	-

CTE Full Review Fire Science 2012-2020 PRC Approved: 12.10.20 BOT Approved: 3.9.21

FST-273	-	-
FST-274	-	100%
FST-275	100%	100%
FST-276	-	100%
FST-277	100%	100%
FST-280	-	-
FST-290	100%	100%

FST	2019
Year	2019

Completion		
•	2019FA	2020SP
FST-080	100%	-
FST-086	-	-
FST-090	-	-
FST-100	-	-
FST-102	-	-
FST-103	-	-
FST-106	-	-
FST-107	-	-
FST-110	100%	-
FST-111	100%	-
FST-112	-	-
FST-113	-	-
FST-115	-	-
FST-116	-	-
FST-119	-	-
FST-120	-	-
FST-121	-	-
FST-123	-	-
FST-124	-	-
FST-125	-	-
FST-126	-	-
FST-129	-	-
FST-133	-	-
FST-148	-	-
FST-150	100%	100%
FST-151	100%	-
FST-152	100%	-
FST-153	100%	-
FST-154	100%	-
FST-155	100%	-
FST-156	-	-
FST-157	100%	100%
FST-158	100%	100%
FST-159	-	100%
FST-160	-	-

FST-273	-	-	-
FST-274	-	100%	-
FST-275	-	100%	-
FST-276	-	100%	-
FST-277	-	100%	-
FST-280	-	-	-
FST-290	-	100%	-

FST	2019
Year	2019

Completion			
•	Corr.	F2F	Online
FST-080	-	100%	-
FST-086	-	-	-
FST-090	-	-	-
FST-100	-	-	-
FST-102	-	-	-
FST-103	-	-	-
FST-106	-	-	-
FST-107	-	-	-
FST-110	-	100%	-
FST-111	-	100%	-
FST-112	-	-	-
FST-113	-	-	-
FST-115	-	-	-
FST-116	-	-	-
FST-119	-	-	-
FST-120	-	-	-
FST-121	-	-	-
FST-123	-	-	-
FST-124	-	-	-
FST-125	-	-	-
FST-126	-	-	-
FST-129	-	-	-
FST-133	-	-	-
FST-148	-	-	-
FST-150	-	100%	-
FST-151	-	100%	-
FST-152	-	100%	-
FST-153	-	100%	-
FST-154	-	100%	-
FST-155	-	100%	-
FST-156	-	-	-
FST-157	-	100%	-
FST-158	-	100%	-
FST-159	-	100%	-
FST-160	-	-	-

FST-161	100%	_
FST-162	-	100%
FST-163	100%	100%
FST-164	10076	100 /0
FST-165	- 100%	100%
		1
FST-166	100%	100%
FST-167	-	100%
FST-173	100%	-
FST-174	100%	100%
FST-175	-	-
FST-178	-	-
FST-179	-	-
FST-182	-	-
FST-183	-	-
FST-186	-	-
FST-194	-	-
FST-195	-	-
FST-197	-	-
FST-198	-	-
FST-199	-	-
FST-200	-	-
FST-201	-	-
FST-202	-	-
FST-204	-	_
FST-208	-	-
FST-211	-	_
FST-212	-	-
FST-213	-	-
FST-216		_
FST-217		_
FST-218	_	_
FST-219	100%	100%
	100%	100 /0
FST-222		-
FST-223	100%	100%
FST-224	-	100%
FST-226	-	-
FST-229	100%	-
FST-231	-	-
FST-240	-	-
FST-241	-	-
FST-242	-	-
FST-243	-	-
FST-244	-	-
FST-245	100%	100%
FST-245 FST-246	100% 100%	100% -
		100% - -
FST-246	100%	100% - - -
FST-246 FST-247	100% 100%	100% - - 100%
FST-246 FST-247 FST-248	100% 100%	

FST-161	l _	100%	_
FST-162		100%	
FST-163	-	100%	-
FST-164	-	100 /6	-
	-	-	-
FST-165	-	100%	-
FST-166	-	100%	-
FST-167	-	100%	-
FST-173	-	100%	-
FST-174	-	100%	-
FST-175	-	-	-
FST-178	-	-	-
FST-179	-	-	-
FST-182	-	-	-
FST-183	-	-	-
FST-186	-	-	-
FST-194	-	-	-
FST-195	-	-	-
FST-197	-	-	-
FST-198	-	-	-
FST-199	-	-	-
FST-200	-	-	-
FST-201	-	-	-
FST-202	-	-	-
FST-204	-	-	-
FST-208	-	-	-
FST-211	-	-	-
FST-212	-	-	-
FST-213	-	-	-
FST-216	-	-	-
FST-217	-	-	-
FST-218	-	-	-
FST-219	-	100%	-
FST-222	-	100%	-
FST-223	-	100%	-
FST-224	-	100%	-
FST-226	-	-	-
FST-229	-	100%	-
FST-231	-	-	-
FST-240	-	-	-
FST-241	-	-	-
FST-242	-	-	-
FST-243	-	-	-
FST-244	-	-	-
FST-245	-	100%	-
FST-246	-	100%	_
FST-247	-	100%	_
FST-248	-	100%	_
FST-249	-	100%	-
FST-249	_	100%	
FST-250		100%	
101-201	-	10070	-

FST-252	-	-		FST-252
FST-253	-	-		FST-253
FST-254	100%	-		FST-254
FST-256	-	-		FST-256
FST-257	-	-		FST-257
FST-258	-	-		FST-258
FST-259	-	-		FST-259
FST-260	-	-		FST-260
FST-261	-	100%		FST-261
FST-262	-	-		FST-262
FST-263	-	-		FST-263
FST-264	-	-		FST-264
FST-266	-	100%		FST-266
FST-268	100%	100%		FST-268
FST-269	-	-		FST-269
FST-270	-	-		FST-270
FST-271	-	-		FST-271
FST-272	-	-		FST-272
FST-273	-	-		FST-273
FST-274	-	100%		FST-274
FST-275	100%	100%		FST-275
FST-276	-	-		FST-276
FST-277	100%	-		FST-277
FST-280	-	-		FST-280
FST-290	100%	-		FST-290
			-	

FST-252	-	-	-
FST-253	-	-	-
FST-254	-	100%	-
FST-256	-	-	-
FST-257	-	-	-
FST-258	-	-	-
FST-259	-	-	-
FST-260	-	-	-
FST-261	-	100%	-
FST-262	-	-	-
FST-263	-	-	-
FST-264	-	-	-
FST-266	-	100%	-
FST-268	-	100%	-
FST-269	-	-	-
FST-270	-	-	-
FST-271	-	-	-
FST-272	-	-	-
FST-273	-	-	-
FST-274	-	100%	-
FST-275	-	100%	-
FST-276	-	-	-
FST-277	-	100%	-
FST-280	-	-	-
FST-290	-	100%	-

b. Assess semester-by-semester course retention performance in each course in the program over the preceding eight (8) semesters.

Retention is stable for FST courses at 100%. As pointed out earlier, this reflects the fact that students enrolled in FST courses are professionals seeking continuing advancement in skills and experience in firefighting.

FST	2012	
Retention		
	2012FA	2013SP
FST-080	100%	100%
FST-086	-	-
FST-090	-	-
FST-100	100%	-
FST-102	-	-
FST-103	-	-
FST-106	-	-
FST-107	-	-
FST-110	100%	-

FST	2012
-----	------

Retention			
	Corr.	F2F	Online
FST-080	-	100%	-
FST-086	-	-	-
FST-090	-	-	-
FST-100	-	100%	-
FST-102	-	-	-
FST-103	-	-	-
FST-106	-	-	-
FST-107	-	-	-
FST-110	-	100%	-

CTE Full Review Fire Science 2012-2020 PRC Approved: 12.10.20 BOT Approved: 3.9.21

FST-111	100%	-
FST-112	100%	-
FST-113	-	-
FST-115	100%	-
FST-116	-	-
FST-119	_	_
FST-120	_	_
FST-121	_	_
FST-123		
FST-124	-	-
	-	-
FST-125	-	-
FST-126	-	-
FST-129	-	-
FST-133	-	100%
FST-148	-	-
FST-150	100%	100%
FST-151	100%	-
FST-152	100%	100%
FST-153	100%	100%
FST-154	80%	100%
FST-155	81%	100%
FST-156	-	-
FST-157	100%	100%
FST-158	100%	100%
FST-159	-	-
FST-160	-	-
FST-161	100%	100%
FST-162	-	100%
FST-163	-	100%
FST-164	-	-
FST-165	-	-
FST-166	-	100%
FST-167	100%	100%
FST-173	100%	100%
FST-174	100%	100%
FST-175	100%	100%
FST-178	-	100%
FST-179	-	100%
FST-182	-	-
	1	
FST-183	-	
FST-183 FST-186	-	- 100%
FST-186	- - -	- 100% 100%
FST-186 FST-194	- - -	100%
FST-186 FST-194 FST-195	- - - -	
FST-186 FST-194 FST-195 FST-197	- - - - -	100%
FST-186 FST-194 FST-195 FST-197 FST-198	- - - - -	100%
FST-186 FST-194 FST-195 FST-197 FST-198 FST-199	- - - - - - - -	100% 100% - - -
FST-186FST-194FST-195FST-197FST-198FST-199FST-200	- - - - - - - - -	100%
FST-186 FST-194 FST-195 FST-197 FST-198 FST-199 FST-200 FST-201	- - - - - - - - - -	100% 100% - - -
FST-186FST-194FST-195FST-197FST-198FST-199FST-200	- - - - - - - - - - - - -	100% 100% - - -

FST-111	-	100%	_
FST-112	_	100%	_
FST-113	_	10070	_
FST-115	-	100%	-
	-	100%	-
FST-116	-	-	-
FST-119	-	-	-
FST-120	-	-	-
FST-121	-	-	-
FST-123	-	-	-
FST-124	-	-	-
FST-125	-	-	-
FST-126	-	-	-
FST-129	-	-	-
FST-133	-	100%	-
FST-148	-	-	-
FST-150	-	100%	-
FST-151	-	100%	-
FST-152	-	100%	-
FST-153	-	100%	-
FST-154	-	89%	-
FST-155	-	89%	-
FST-156	-	-	-
FST-157	-	100%	-
FST-158	-	100%	-
FST-159	-	-	-
FST-160	-	-	-
FST-161	-	100%	-
FST-162	-	100%	-
FST-163	-	100%	-
FST-164	-	-	-
FST-165	-	-	-
FST-166	-	100%	-
FST-167	-	100%	-
FST-173	-	100%	-
FST-174	-	100%	_
FST-175	-	100%	-
FST-178	-	100%	_
FST-179	-	100%	_
FST-182	-	-	-
FST-183	-	-	_
FST-186		100%	
FST-194	_	100%	
FST-194 FST-195	-	100%	-
FST-195	-	100 /0	-
	-	+ -	-
FST-198	-	-	-
FST-199	-	-	-
FST-200	-	100%	-
FST-201	-	-	-
FST-202	-	-	-
FST-204	-	-	-

CTE Full Review Fire Science 2012-2020 PRC Approved: 12.10.20 BOT Approved: 3.9.21
FST-208	-	-
FST-211	-	100%
FST-212	-	100%
FST-213	-	100%
FST-216	-	-
FST-217	-	-
FST-218		_
FST-219	_	_
FST-222	100%	100%
FST-223	-	-
FST-224	_	_
FST-226	_	_
FST-229	100%	100%
FST-231	-	100%
FST-240		100 /6
FST-240	-	
FST-241	-	
FST-242 FST-243	-	-
FST-243 FST-244	-	-
FST-244 FST-245	-	-
	-	-
FST-246	-	-
FST-247	-	-
FST-248	-	-
FST-249	-	-
FST-250	100%	100%
FST-251	100%	100%
FST-252	-	-
FST-253	-	-
FST-254	-	-
FST-256	-	-
FST-257	-	-
FST-258	-	-
FST-259	-	-
FST-260	-	-
FST-261	-	-
FST-262	-	-
FST-263	-	-
FST-264	-	-
FST-266	-	-
FST-268	-	-
FST-269	-	-
FST-270	-	-
FST-271	-	-
FST-272	-	-
FST-273	-	-
	-	-
FST-274		
FST-275	-	-
FST-275 FST-276	-	-
FST-275	-	- - -

FST-208	-	I _	_
FST-211	-	100%	_
FST-212	_	100%	_
FST-212		100%	
FST-216	_	-	
FST-217	_	_	_
FST-218		_	
FST-219	_		_
FST-222		100%	
FST-223		10070	
FST-224	-	-	-
	-	-	-
FST-226	-	- 100%	-
FST-229	-	1	-
FST-231	-	100%	-
FST-240	-	-	-
FST-241	-	-	-
FST-242	-	-	-
FST-243	-	-	-
FST-244	-	-	-
FST-245	-	-	-
FST-246	-	-	-
FST-247	-	-	-
FST-248	-	-	-
FST-249	-	-	-
FST-250	-	100%	-
FST-251	-	100%	-
FST-252	-	-	-
FST-253	-	-	-
FST-254	-	-	-
FST-256	-	-	-
FST-257	-	-	-
FST-258	-	-	-
FST-259	-	-	-
FST-260	-	-	-
FST-261	-	-	-
FST-262	-	-	-
FST-263	-	-	-
FST-264	-	-	-
FST-266	-	-	-
FST-268	-	-	-
FST-269	-	-	-
FST-270	-	-	-
FST-271	-	-	-
FST-272	-	-	-
FST-273	-	-	-
FST-274	-	-	-
FST-275	-	-	-
FST-276	-	-	-
FST-277	-	-	-
FST-280	-	-	-
- · - • •		ı	ıI

CTE Full Review Fire Science 2012-2020 PRC Approved: 12.10.20 BOT Approved: 3.9.21

FST-290	100%	100%

FST-290	-	100%	-	
---------	---	------	---	--

FST	2013	
Retention		
	2013FA	2014SP
FST-080	100%	100%
FST-086	-	-
FST-090	-	-
FST-100	100%	100%
FST-102	-	-
FST-103	100%	-
FST-106	-	-
FST-107	-	-
FST-110	100%	-
FST-111	100%	-
FST-112	100%	-
FST-113	-	-
FST-115	100%	-
FST-116	100%	-
FST-119	-	100%
FST-120	-	-
FST-121	-	-
FST-123	-	-
FST-124	-	-
FST-125	-	-
FST-126	-	-
FST-129	100%	-
FST-133	-	-
FST-148	-	-
FST-150	100%	100%
FST-151	100%	100%
FST-152	100%	100%
FST-153	100%	100%
FST-154	100%	100%
FST-155	100%	100%
FST-156	-	-
FST-157	100%	100%
FST-158	100%	100%
FST-159	100%	-
FST-160	-	-
FST-161	100%	100%
FST-162	100%	100%
FST-163	-	100%
FST-164	100%	-
FST-165	-	100%
FST-166	100%	100%
FST-167	100%	100%
FST-173	100%	100%

FST	2013		
Retention			
	Corr.	F2F	Online
FST-080	-	100%	-
FST-086	-	-	-
FST-090	-	-	-
FST-100	-	100%	-
FST-102	-	-	-
FST-103	-	100%	-
FST-106	-	-	-
FST-107	-	-	-
FST-110	-	100%	-
FST-111	-	100%	-
FST-112	-	100%	-
FST-113	-	-	-
FST-115	-	100%	-
FST-116	-	100%	-
FST-119	-	100%	-
FST-120	-	-	-
FST-121	-	-	-
FST-123	-	-	-
FST-124	-	-	-
FST-125	-	-	-
FST-126	-	-	-
FST-129	-	100%	-
FST-133	-	-	-
FST-148	-	-	-
FST-150	-	100%	-
FST-151	-	100%	-
FST-152	-	100%	-
FST-153	-	100%	-
FST-154	-	100%	-
FST-155	-	100%	-
FST-156	-	-	-
FST-157	-	100%	-
FST-158	-	100%	-
FST-159	-	100%	-
FST-160	-	-	-
FST-161	-	100%	-
FST-162	-	100%	-
FST-163	-	100%	-
FST-164	-	100%	-
FST-165	-	100%	-
FST-166	-	100%	-
FST-167	-	100%	-
FST-173	-	100%	-

FST-174	100%	100%
FST-175	-	100%
FST-178	_	100%
FST-179	_	100%
FST-182	_	10070
	-	-
FST-183	-	-
FST-186	-	-
FST-194	-	-
FST-195	-	100%
FST-197	100%	-
FST-198	100%	-
FST-199	-	100%
FST-200	-	-
FST-201	-	-
FST-202	100%	-
FST-204	-	-
FST-208	-	-
FST-211	-	-
FST-212	-	-
FST-213	-	-
FST-216	-	_
FST-217	_	
FST-218		
FST-219	_	100%
FST-222	100%	100%
FST-223	100 /6	100 /0
FST-223	-	-
FST-226	_	_
FST-229	100%	100%
	10070	10070
EQT_221	_	_
FST-231	-	-
FST-240	- 100%	- 100%
FST-240 FST-241	- 100% -	- 100% -
FST-240 FST-241 FST-242	- 100% - -	- 100% - -
FST-240 FST-241 FST-242 FST-243	- 100% - - -	- 100% - - -
FST-240 FST-241 FST-242 FST-243 FST-244	- 100% - - -	- 100% - - - -
FST-240 FST-241 FST-242 FST-243 FST-244 FST-245	- 100% - - - - -	- 100% - - - - -
FST-240FST-241FST-242FST-243FST-244FST-245FST-246	- 100% - - - - - -	- 100% - - - - - -
FST-240 FST-241 FST-242 FST-243 FST-244 FST-245 FST-246 FST-247	- 100% - - - - - - - - -	- 100% - - - - - - -
FST-240 FST-241 FST-242 FST-243 FST-244 FST-245 FST-246 FST-247 FST-248	- 100% - - - - - - - - - -	- 100% - - - - - - - - - - -
FST-240 FST-241 FST-242 FST-243 FST-244 FST-245 FST-246 FST-247 FST-248 FST-249	- 100% - - - - - - - - - - -	- 100% - - - - - - - - - - - -
FST-240 FST-241 FST-242 FST-243 FST-244 FST-245 FST-246 FST-247 FST-248	- 100% - - - - - - - - - - 100%	- 100% - - - - - - - - - - 100%
FST-240 FST-241 FST-242 FST-243 FST-244 FST-245 FST-246 FST-247 FST-248 FST-249	- - - - - - - - - - - -	- - - - - - - - - - -
FST-240 FST-241 FST-242 FST-243 FST-244 FST-245 FST-246 FST-247 FST-248 FST-249 FST-249 FST-250	- - - - - - - - 100%	- - - - - - - - 100%
FST-240 FST-241 FST-243 FST-244 FST-245 FST-246 FST-247 FST-248 FST-249 FST-250 FST-251	- - - - - - - - 100%	- - - - - - - - 100%
FST-240 FST-241 FST-242 FST-243 FST-244 FST-245 FST-246 FST-247 FST-248 FST-249 FST-250 FST-251 FST-252	- - - - - - - - 100%	- - - - - - - - 100%
FST-240 FST-241 FST-242 FST-243 FST-244 FST-245 FST-246 FST-247 FST-248 FST-249 FST-249 FST-250 FST-251 FST-253	- - - - - - - - 100%	- - - - - - - - 100%
FST-240 FST-241 FST-242 FST-243 FST-244 FST-245 FST-246 FST-247 FST-248 FST-249 FST-250 FST-251 FST-252 FST-253 FST-254	- - - - - - - - 100%	- - - - - - - - 100%
FST-240 FST-241 FST-243 FST-244 FST-245 FST-246 FST-247 FST-248 FST-249 FST-250 FST-251 FST-252 FST-253 FST-254 FST-256	- - - - - - - - 100%	- - - - - - - - 100%
FST-240 FST-241 FST-243 FST-244 FST-245 FST-246 FST-247 FST-248 FST-249 FST-250 FST-251 FST-252 FST-253 FST-254 FST-256 FST-257 FST-258	- - - - - - - - 100%	- - - - - - - - 100%
FST-240 FST-241 FST-242 FST-243 FST-244 FST-245 FST-246 FST-247 FST-248 FST-249 FST-249 FST-250 FST-251 FST-252 FST-253 FST-254 FST-256 FST-257	- - - - - - - - 100%	- - - - - - - - 100%

FST-174	-	100%	_
FST-175	_	100%	
FST-178	_	100%	_
FST-179	_	100%	_
FST-182		100 /6	
	-	-	-
FST-183	-	-	-
FST-186	-	-	-
FST-194	-	-	-
FST-195	-	100%	-
FST-197	-	100%	-
FST-198	-	100%	-
FST-199	-	100%	-
FST-200	-	-	-
FST-201	-	-	-
FST-202	-	100%	-
FST-204	-	-	-
FST-208	-	-	-
FST-211	-	-	-
FST-212	-	-	-
FST-213	-	-	-
FST-216	-	-	-
FST-217	-	-	-
FST-218	-	-	-
FST-219	-	100%	-
FST-222	-	100%	-
FST-223	-	-	-
FST-224	-	-	-
FST-226	-	-	-
FST-229	-	100%	-
FST-231	-	-	-
FST-240	-	100%	-
FST-241	-	-	-
FST-242	-	-	-
FST-243	-	-	-
FST-244	-	-	-
FST-245	-	-	-
FST-246	-	-	-
FST-247	-	-	-
FST-248	-	_	-
FST-249	-	-	_
FST-250	-	100%	_
FST-251	_	100%	_
FST-251		-	-
FST-252			
FST-253	-	-	
	-	-	-
FST-256 FST-257	-	-	-
	-	-	-
FST-258	-	-	-
FST-259	-	-	-
FST-260	-	-	-

CTE Full Review Fire Science 2012-2020 PRC Approved: 12.10.20 BOT Approved: 3.9.21

FST-261	-	-
FST-262	-	-
FST-263	-	-
FST-264	-	-
FST-266	-	-
FST-268	-	-
FST-269	-	-
FST-270	-	-
FST-271	-	-
FST-272	-	-
FST-273	-	-
FST-274	-	-
FST-275	-	-
FST-276	_	-
FST-277	-	-
FST-280	100%	100%
FST-290	100%	100%

FST-261	-	-	-
FST-262	-	-	-
FST-263	-	-	-
FST-264	-	-	-
FST-266	-	-	-
FST-268	-	-	-
FST-269	-	-	-
FST-270	-	-	-
FST-271	-	-	-
FST-272	-	-	-
FST-273	-	-	-
FST-274	-	-	-
FST-275	-	-	-
FST-276	-	-	-
FST-277	-	-	-
FST-280	-	100%	-
FST-290	-	100%	-

FST	2014	
Retention		
	2014FA	2015SP
FST-080	100%	100%
FST-086	-	-
FST-090	-	-
FST-100	-	-
FST-102	-	-
FST-103	-	100%
FST-106	-	-
FST-107	-	-
FST-110	100%	-
FST-111	100%	-
FST-112	100%	-
FST-113	-	-
FST-115	100%	-
FST-116	-	100%
FST-119	-	-
FST-120	-	-
FST-121	-	-
FST-123	-	-
FST-124	-	100%
FST-125	-	-
FST-126	-	-
FST-129	-	-
FST-133	-	-
FST-148	-	-
FST-150	-	-
FST-151	100%	100%
FST-152	100%	100%

FST	2014		
Retention			
	Corr.	F2F	Online
FST-080	-	100%	-
FST-086	-	-	-
FST-090	-	-	-
FST-100	-	-	-
FST-102	-	-	-
FST-103	-	100%	-
FST-106	-	-	-
FST-107	-	-	-
FST-110	-	100%	-
FST-111	-	100%	-
FST-112	-	100%	-
FST-113	-	-	-
FST-115	-	100%	-
FST-116	-	100%	-
FST-119	-	-	-
FST-120	-	-	-
FST-121	-	-	-
FST-123	-	-	-
FST-124	-	100%	-
FST-125	-	-	-
FST-126	-	-	-
FST-129	-	-	-
FST-133	-	-	-
FST-148	-	-	-
FST-150	-	-	-
FST-151	-	100%	-
FST-152	-	100%	-

FST-153	100%	100%
FST-154	100%	100%
FST-155	100%	100%
FST-156	-	-
FST-157	100%	_
FST-158	100%	_
FST-159	10070	_
FST-160	-	-
FST-161	100%	100%
FST-162	100%	
		100%
FST-163	100%	100%
FST-164	-	-
FST-165	-	100%
FST-166	-	100%
FST-167	100%	-
FST-173	100%	100%
FST-174	100%	-
FST-175	100%	100%
FST-178	100%	-
FST-179	100%	100%
FST-182	100%	100%
FST-183	-	-
FST-186	-	-
FST-194	-	100%
FST-195	-	100%
FST-197	-	100%
FST-198	-	100%
FST-199	-	100%
FST-200	100%	-
FST-201	100%	100%
FST-202	-	-
FST-204	-	100%
FST-208	-	100%
FST-211	-	-
FST-212	-	-
FST-213	-	-
FST-216	-	-
FST-217	-	-
FST-218	-	-
FST-219	-	100%
FST-222	-	100%
FST-223	-	-
FST-224	-	-
FST-226	-	-
FST-229	100%	-
FST-231	-	_ 1
FST-240	-	-
FST-241	-	
FST-242	-	_
FST-243	-	
101-240		

FST-153	-	100%	-
FST-154	-	100%	-
FST-155	-	100%	-
FST-156	-	-	_
FST-157	-	100%	_
FST-158	_	100%	_
FST-159	_		
FST-160			
FST-161	_	100%	
FST-162	-	100%	-
FST-163	-	100%	-
	-	100 /6	-
FST-164	-	-	-
FST-165	-	100%	-
FST-166	-	100%	-
FST-167	-	100%	-
FST-173	-	100%	-
FST-174	-	100%	-
FST-175	-	100%	-
FST-178	-	100%	-
FST-179	-	100%	-
FST-182	-	100%	-
FST-183	-	-	-
FST-186	-	-	-
FST-194	-	100%	-
FST-195	-	100%	-
FST-197	-	100%	-
FST-198	-	100%	-
FST-199	-	100%	-
FST-200	-	100%	-
FST-201	-	100%	-
FST-202	-	_	-
FST-204	-	100%	_
FST-208	-	100%	_
FST-211	-	-	_
FST-212	_	<u> </u>	
FST-212		-	
FST-213	_		
FST-210 FST-217	_	_	
	-	-	-
FST-218	-	-	-
FST-219	-	100%	-
FST-222	-	100%	-
FST-223	-	-	-
FST-224	-	-	-
FST-226	-	-	-
FST-229	-	100%	-
FST-231	-	-	-
FST-240	-	-	-
FST-241	-	-	-
FST-242	-	-	-
FST-243	-	-	-
			_

CTE Full Review Fire Science 2012-2020 PRC Approved: 12.10.20 BOT Approved: 3.9.21

FST-244	-	-
FST-245	-	-
FST-246	-	-
FST-247	-	-
FST-248	-	-
FST-249	-	-
FST-250	100%	100%
FST-251	100%	100%
FST-252	-	-
FST-253	-	-
FST-254	-	-
FST-256	-	-
FST-257	-	-
FST-258	-	-
FST-259	-	-
FST-260	-	-
FST-261	-	-
FST-262	-	-
FST-263	-	-
FST-264	-	-
FST-266	-	-
FST-268	-	-
FST-269	-	-
FST-270	-	-
FST-271	-	-
FST-272	-	-
FST-273	-	-
FST-274	-	-
FST-275	-	-
FST-276	-	-
FST-277	-	-
FST-280	-	-
FST-290	100%	100%

FST-244	-	-	-
FST-245	-	-	-
FST-246	-	-	-
FST-247	-	-	-
FST-248	-	-	-
FST-249	-	-	-
FST-250	-	100%	-
FST-251	-	100%	-
FST-252	-	-	-
FST-253	-	-	-
FST-254	-	-	-
FST-256	-	-	-
FST-257	-	-	-
FST-258	-	-	-
FST-259	-	-	-
FST-260	-	-	-
FST-261	-	-	-
FST-262	-	-	-
FST-263	-	-	-
FST-264	-	-	-
FST-266	-	-	-
FST-268	-	-	-
FST-269	-	-	-
FST-270	-	-	-
FST-271	-	-	-
FST-272	-	-	-
FST-273	-	-	-
FST-274	-	-	-
FST-275	-	-	-
FST-276	-	-	-
FST-277	-	-	-
FST-280	-	-	-
FST-290	-	100%	-

FST 2015

Retention		
	2015FA	2016SP
FST-080	100%	100%
FST-086	-	-
FST-090	-	-
FST-100	-	100%
FST-102	-	-
FST-103	-	-
FST-106	-	-
FST-107	-	-
FST-110	100%	100%
FST-111	100%	100%

FST 2015

Retention			
	Corr.	F2F	Online
FST-080	-	100%	-
FST-086	-	-	-
FST-090	-	-	-
FST-100	-	100%	-
FST-102	-	-	-
FST-103	-	-	-
FST-106	-	-	-
FST-107	-	-	-
FST-110	-	100%	-
FST-111	-	100%	-

FST-112	100%	-
FST-113	-	-
FST-115	-	-
FST-116	-	-
FST-119	-	-
FST-120	-	_
FST-121	-	_
FST-123	_	_
FST-124	100%	_
FST-125	-	_
FST-126		_
FST-129	_	_
FST-133		
	-	-
FST-148	-	-
FST-150	100%	100%
FST-151	-	100%
FST-152	100%	100%
FST-153	100%	100%
FST-154	100%	100%
FST-155	100%	100%
FST-156	-	-
FST-157	100%	100%
FST-158	100%	100%
FST-159	-	100%
FST-160	-	-
FST-161	100%	100%
FST-162	100%	100%
FST-163	100%	100%
FST-164	-	-
FST-165	100%	100%
FST-166	100%	100%
FST-167	100%	-
FST-173	100%	100%
FST-174	100%	100%
FST-175	100%	100%
FST-178	100%	-
FST-179	-	100%
FST-182	100%	-
FST-183	100%	-
FST-186	-	100%
FST-194	-	100%
FST-195	-	100%
FST-197	-	100%
FST-198	-	100%
FST-199	100%	100%
FST-200	-	_
FST-200	100%	
FST-202		
FST-202	- 100%	
	100%	-
FST-208	-	100%

EGT 110	I	100%	
FST-112	-	100%	-
FST-113	-	-	-
FST-115	-	-	-
FST-116	-	-	-
FST-119	-	-	-
FST-120	-	-	-
FST-121	-	-	-
FST-123	-	-	-
FST-124	-	100%	-
FST-125	-	-	-
FST-126	-	-	-
FST-129	-	-	-
FST-133	-	-	-
FST-148	-	-	-
FST-150	-	100%	-
FST-151	-	100%	-
FST-152	-	100%	-
FST-153	-	100%	-
FST-154	-	100%	-
FST-155	-	100%	-
FST-156	-	-	-
FST-157	-	100%	-
FST-158	-	100%	-
FST-159	_	100%	-
FST-160	-	-	-
FST-161	-	100%	_
FST-162	_	100%	_
FST-163	-	100%	-
FST-164	_	-	_
FST-165	_	100%	_
FST-166	_	100%	_
FST-167		100%	
FST-173	-	100%	-
	-	100%	-
FST-174	-		-
FST-175	-	100%	-
FST-178	-	100%	-
FST-179	-	100%	-
FST-182	-	100%	-
FST-183	-	100%	-
FST-186	-	100%	-
FST-194	-	100%	-
FST-195	-	100%	-
FST-197	-	100%	-
FST-198	-	100%	-
FST-199	-	100%	-
FST-200	-	-	-
FST-201	-	100%	-
FST-202	-	-	-
FST-204	-	100%	-
FST-208	-	100%	-

CTE Full Review Fire Science 2012-2020 PRC Approved: 12.10.20 BOT Approved: 3.9.21

FST-211	-	-
FST-212	100%	100%
FST-213	100%	-
FST-216	-	
FST-217	-	_
FST-218	_	_
FST-219	100%	100%
FST-222	100 /8	100 /0
FST-223		
FST-224		-
	-	-
FST-226	-	-
FST-229	-	-
FST-231	-	-
FST-240	-	-
FST-241	-	-
FST-242	-	-
FST-243	-	-
FST-244	-	-
FST-245	-	-
FST-246	-	-
FST-247	-	-
FST-248	-	-
FST-249	-	-
FST-250	100%	100%
FST-251	100%	-
FST-252	-	-
FST-253	-	-
FST-254	-	-
FST-256	-	-
FST-257	-	-
FST-258	-	-
FST-259	-	-
FST-260	-	-
FST-261	-	-
FST-262	-	-
FST-263	-	-
FST-264	-	-
FST-266	-	-
FST-268	-	-
FST-269	-	-
FST-270	-	-
FST-271	-	-
FST-272	-	-
FST-273	-	-
FST-274	-	_
FST-275	-	_
FST-276	-	
FST-277	_	
FST-277		
FST-280	-	-
	100%	100%

FST-211	l _	Ι_	_
FST-212	_	100%	_
FST-212	_	100%	_
FST-216	_	-	_
FST-217	_	_	
FST-218	_	_	
FST-219		100%	
FST-222		10070	_
FST-223	_		_
FST-224	_	_	_
FST-224			_
FST-229	-	-	-
FST-229	-	-	-
FST-240	-	-	-
	-	-	-
FST-241 FST-242	-	-	-
	-	-	-
FST-243	-	-	-
FST-244	-	-	-
FST-245	-	-	-
FST-246	-	-	-
FST-247	-	-	-
FST-248	-	-	-
FST-249	-	-	-
FST-250	-	100%	-
FST-251	-	100%	-
FST-252	-	-	-
FST-253	-	-	-
FST-254	-	-	-
FST-256	-	-	-
FST-257	-	-	-
FST-258	-	-	-
FST-259	-	-	-
FST-260	-	-	-
FST-261	-	-	-
FST-262	-	-	-
FST-263	-	-	-
FST-264	-	-	-
FST-266	-	-	-
FST-268	-	-	-
FST-269	-	-	-
FST-270	-	-	-
FST-271	-	-	-
FST-272	-	-	-
FST-273	-	-	-
FST-274	-	-	-
FST-275	-	-	-
FST-276	-	-	-
FST-277	-	-	-
FST-280	-	-	-
FST-290	-	100%	-

CTE Full Review Fire Science 2012-2020 PRC Approved: 12.10.20 BOT Approved: 3.9.21

FST	2016
Year	2016

	2016FA	2017SP
FST-080	100%	100%
FST-086	-	-
FST-090	-	-
FST-100	-	-
FST-102	-	-
FST-103	-	-
FST-106	100%	-
FST-107	-	-
FST-110	100%	-
FST-111	100%	100%
FST-112	-	-
FST-113	-	-
FST-115	-	-
FST-116	-	-
FST-119	-	-
FST-120	-	-
FST-121	-	-
FST-123	-	-
FST-124	-	-
FST-125	-	-
FST-126	-	-
FST-129	-	-
FST-133	-	-
FST-148	-	-
FST-150	100%	-
FST-151	100%	-
FST-152	100%	100%
FST-153	100%	100%
FST-154	100%	100%
FST-155	100%	100%
FST-156	-	-
FST-157	100%	100%
FST-158	100%	100%
FST-159	100%	100%
FST-160	-	-
FST-161	-	100%
FST-162	-	100%
FST-163	-	100%
FST-164	-	-
FST-165	-	-
FST-166	100%	100%
FST-167	100%	100%

FST	2016
Year	2016

Retention			
	Corr.	F2F	Online
FST-080	-	100%	-
FST-086	-	-	-
FST-090	_	-	-
FST-100	-	-	-
FST-102	-	-	-
FST-103	-	-	-
FST-106	-	100%	-
FST-107	-	-	-
FST-110	-	100%	-
FST-111	-	100%	-
FST-112	-	-	-
FST-113	-	-	-
FST-115	-	-	-
FST-116	-	-	-
FST-119	-	-	-
FST-120	-	-	-
FST-121	-	-	-
FST-123	-	-	-
FST-124	-	-	-
FST-125	-	-	-
FST-126	-	-	-
FST-129	-	-	-
FST-133	-	-	-
FST-148	-	-	-
FST-150	-	100%	-
FST-151	-	100%	-
FST-152	-	100%	-
FST-153	-	100%	-
FST-154	-	100%	-
FST-155	-	100%	-
FST-156	-	-	-
FST-157	-	100%	-
FST-158	-	100%	-
FST-159	-	100%	-
FST-160	-	-	-
FST-161	-	100%	-
FST-162	-	100%	-
FST-163	-	100%	-
FST-164	-	-	-
FST-165	-	-	-
FST-166	-	100%	-
FST-167	-	100%	-

FST-173	100%	100%
FST-174	100%	100%
FST-175	10070	100%
	-	100 /0
FST-178	-	-
FST-179	-	-
FST-182	-	-
FST-183	100%	100%
FST-186	-	-
FST-194	-	-
FST-195	-	-
FST-197	-	-
FST-198	-	-
FST-199	-	-
FST-200	-	-
FST-201	-	-
FST-202	-	-
FST-204	-	-
FST-208	-	-
FST-211	-	-
FST-212	-	-
FST-213	-	-
FST-216	-	-
FST-217	-	-
FST-218	-	-
FST-219	100%	-
FST-222	100%	100%
FST-222 FST-223	100%	100% -
FST-223	<u>100%</u> - -	100% - -
FST-223 FST-224	100% - - -	100% - - -
FST-223 FST-224 FST-226	100% - - - -	100% - - - -
FST-223 FST-224 FST-226 FST-229	100% - - - - -	<u>-</u> - - - -
FST-223 FST-224 FST-226 FST-229 FST-231	100% - - - - - -	100% - - - - - -
FST-223 FST-224 FST-226 FST-229 FST-231 FST-240	100% - - - - - - - -	100% - - - - - - -
FST-223FST-224FST-226FST-229FST-231FST-240FST-241	100% - - - - - - - - -	100% - - - - - - - - -
FST-223 FST-224 FST-226 FST-229 FST-231 FST-240 FST-241 FST-242	100% - - - - - - - - - - -	100% - - - - - - - - - - -
FST-223 FST-224 FST-226 FST-229 FST-231 FST-240 FST-241 FST-242 FST-243	100% - - - - - - - - - - - -	100% - - - - - - - - - - - -
FST-223 FST-224 FST-226 FST-229 FST-231 FST-240 FST-241 FST-242 FST-243 FST-243 FST-244	100% - - - - - - - - - - - - - -	100% - - - - - - - - - - - - -
FST-223 FST-224 FST-226 FST-229 FST-231 FST-240 FST-241 FST-242 FST-243 FST-244 FST-244 FST-244 FST-245	100% - - - - - - - - - - - - - -	100% - - - - - - - - - - - - - -
FST-223 FST-224 FST-226 FST-229 FST-231 FST-240 FST-241 FST-242 FST-243 FST-244 FST-245 FST-246	100% - - - - - - - - - - - - - - - -	100% - - - - - - - - - - - - - -
FST-223 FST-224 FST-226 FST-229 FST-231 FST-240 FST-241 FST-242 FST-243 FST-244 FST-245 FST-246 FST-247	100%	100%
FST-223 FST-224 FST-229 FST-231 FST-240 FST-241 FST-242 FST-243 FST-244 FST-245 FST-246 FST-247 FST-248	100%	100%
FST-223 FST-224 FST-226 FST-229 FST-231 FST-240 FST-241 FST-242 FST-243 FST-244 FST-245 FST-246 FST-247 FST-248 FST-248 FST-249		- - - - - - - - - - - - - - - - - - -
FST-223 FST-224 FST-229 FST-231 FST-240 FST-241 FST-242 FST-243 FST-244 FST-245 FST-246 FST-247 FST-248 FST-249 FST-249 FST-245	- - - - - - - - - - - - - - - - - - -	100%
FST-223 FST-224 FST-226 FST-229 FST-241 FST-241 FST-242 FST-243 FST-244 FST-245 FST-246 FST-247 FST-248 FST-249 FST-249 FST-250 FST-251		- - - - - - - - - - - - - - - - - - -
FST-223 FST-224 FST-229 FST-231 FST-240 FST-241 FST-242 FST-243 FST-244 FST-245 FST-246 FST-247 FST-248 FST-248 FST-249 FST-250 FST-252	- - - - - - - - - - - - - - - - - - -	- - - - - - - - - - - - - - - - - - -
FST-223 FST-224 FST-229 FST-231 FST-240 FST-241 FST-242 FST-243 FST-244 FST-245 FST-245 FST-246 FST-247 FST-248 FST-249 FST-249 FST-250 FST-251 FST-253	- - - - - - - - - - - - - - - - - - -	- - - - - - - - - - - - - - - - - - -
FST-223 FST-224 FST-226 FST-229 FST-240 FST-241 FST-242 FST-243 FST-244 FST-245 FST-246 FST-247 FST-248 FST-249 FST-249 FST-249 FST-248 FST-249 FST-249 FST-249 FST-249 FST-250 FST-251 FST-253 FST-254	- - - - - - - - - - - - - - - - - - -	- - - - - - - - - - - - - - - - - - -
FST-223 FST-224 FST-229 FST-231 FST-240 FST-241 FST-242 FST-243 FST-244 FST-245 FST-245 FST-246 FST-247 FST-248 FST-249 FST-249 FST-250 FST-251 FST-253 FST-254 FST-254 FST-254	- - - - - - - - - - - - - - - - - - -	- - - - - - - - - - - - - - - - - - -
FST-223 FST-224 FST-229 FST-231 FST-240 FST-241 FST-242 FST-243 FST-244 FST-245 FST-245 FST-246 FST-247 FST-248 FST-249 FST-250 FST-251 FST-253 FST-254 FST-254 FST-254 FST-255 FST-256 FST-257	- - - - - - - - - - - - - - - - - - -	- - - - - - - - - - - - - - - - - - -
FST-223 FST-224 FST-229 FST-231 FST-240 FST-241 FST-242 FST-243 FST-244 FST-245 FST-245 FST-246 FST-247 FST-248 FST-249 FST-249 FST-250 FST-251 FST-253 FST-254 FST-254 FST-254	- - - - - - - - - - - - - - - - - - -	- - - - - - - - - - - - - - - - - - -

FST-173	-	100%	-
FST-174	-	100%	_
FST-175	_	100%	_
FST-178	_		
FST-179	-	-	-
	-	-	-
FST-182	-	-	-
FST-183	-	100%	-
FST-186	-	-	-
FST-194	-	-	-
FST-195	-	-	-
FST-197	-	-	-
FST-198	-	-	-
FST-199	-	-	-
FST-200	-	-	-
FST-201	-	-	
FST-202	-	-	-
FST-204	-	-	-
FST-208	-	-	-
FST-211	-	-	-
FST-212	-	_	_
FST-213	-	-	_
FST-216	_	_	_
FST-217	_	_	_
	-	-	-
FST-218	-	-	-
FST-219	-	100%	-
FST-222	-	100%	-
FST-223	-	-	-
FST-224	-	-	-
FST-226	-	-	-
FST-229	-	-	-
FST-231	-	-	-
FST-240	-	-	-
FST-241	-	-	-
FST-242	-	-	-
FST-243	-	-	-
FST-244	-	-	-
FST-245	-	-	-
FST-246	-	-	_
FST-247	-	_	
FST-248	_	_	
FST-248	_	_	
	-	-	-
FST-250	-	100%	-
FST-251	-	100%	-
FST-252	-	-	-
FST-253	-	-	-
FST-254	-	-	-
FST-256	-	-	-
FST-257	-	-	-
FST-258	-	-	-
FST-259	-	-	-

CTE Full Review Fire Science 2012-2020 PRC Approved: 12.10.20 BOT Approved: 3.9.21

FST-260	-	-
FST-261	-	-
FST-262	-	-
FST-263	-	-
FST-264	-	-
FST-266	-	-
FST-268	-	-
FST-269	-	-
FST-270	-	-
FST-271	-	-
FST-272	-	-
FST-273	-	-
FST-274	-	-
FST-275	-	-
FST-276	-	-
FST-277	-	-
FST-280	100%	100%
FST-290	100%	100%

FST-260	-	-	-
FST-261	-	-	-
FST-262	-	-	-
FST-263	-	-	-
FST-264	-	-	-
FST-266	-	-	-
FST-268	-	-	-
FST-269	-	-	-
FST-270	-	-	-
FST-271	-	-	-
FST-272	-	-	-
FST-273	-	-	-
FST-274	-	-	-
FST-275	-	-	-
FST-276	-	-	-
FST-277	-	_	-
FST-280	-	100%	-
FST-290	-	100%	-

FST	2017
Year	2017

Retention		
	2017FA	2018SP
FST-080	100%	100%
FST-086	-	-
FST-090	-	-
FST-100	-	-
FST-102	-	-
FST-103	-	-
FST-106	-	-
FST-107	-	-
FST-110	100%	100%
FST-111	100%	100%
FST-112	100%	-
FST-113	100%	-
FST-115	-	-
FST-116	-	-
FST-119	-	-
FST-120	-	-
FST-121	-	100%
FST-123	-	-
FST-124	-	-
FST-125	-	-
FST-126	-	-
FST-129	-	-
FST-133	-	-
FST-148	-	-

FST	2017
Year	2017

Retention			
	Corr.	F2F	Online
FST-080	-	100%	-
FST-086	-	-	-
FST-090	-	-	-
FST-100	-	-	-
FST-102	-	-	-
FST-103	-	-	-
FST-106	-	-	-
FST-107	-	-	-
FST-110	-	100%	-
FST-111	-	100%	-
FST-112	-	100%	-
FST-113	-	100%	-
FST-115	-	-	-
FST-116	-	-	-
FST-119	-	-	-
FST-120	-	-	-
FST-121	-	100%	-
FST-123	-	-	-
FST-124	-	-	-
FST-125	-	-	-
FST-126	-	-	-
FST-129	-	-	-
FST-133	-	-	-
FST-148	-	-	-

FST-150	100%	100%
FST-151	100%	100 /6
FST-152	100%	100%
FST-153	100%	100%
FST-154	100%	100%
FST-155	100%	100%
FST-156	-	-
FST-157	100%	100%
FST-158	100%	100%
FST-159	100%	100%
FST-160	100%	100%
FST-161	-	100%
FST-162	-	-
FST-163	-	-
FST-164	-	-
FST-165	-	100%
FST-166	100%	100%
FST-167	100%	100%
FST-173	100%	100%
FST-174	100%	100%
FST-175	100%	100%
FST-178	-	100%
FST-179	-	-
FST-182	-	-
FST-183	-	-
FST-186	-	-
FST-194	-	-
FST-195	-	-
FST-197	-	-
FST-198	-	-
FST-199	_	_
FST-200	-	_
FST-200	-	
FST-202	-	
FST-202	_	
FST-204		
FST-208		
FST-211	-	-
	-	-
FST-213	-	-
FST-216	-	-
FST-217	-	-
FST-218	-	-
FST-219	100%	-
FST-222	100%	100%
FST-223	100 /8	
	-	100%
FST-224	-	100% -
FST-226	-	100% - -
FST-226 FST-229	- - - -	100% - - -
FST-226	-	100% - - - -

	1		I I
FST-150	-	100%	-
FST-151	-	100%	-
FST-152	-	100%	-
FST-153	-	100%	-
FST-154	-	100%	-
FST-155	-	100%	-
FST-156	-	-	-
FST-157	-	100%	-
FST-158	-	100%	-
FST-159	-	100%	-
FST-160	-	100%	-
FST-161	-	100%	-
FST-162	-	-	-
FST-163	-	-	-
FST-164	-	-	-
FST-165	-	100%	-
FST-166	-	100%	-
FST-167	-	100%	-
FST-173	-	100%	_
FST-174	_	100%	_
FST-175	_	100%	
FST-178	_	100%	
FST-179	-	100 /8	
	-	-	-
FST-182	-	-	-
FST-183	-	-	-
FST-186	-	-	-
FST-194	-	-	-
FST-195	-	-	-
FST-197	-	-	-
FST-198	-	-	-
FST-199	-	-	-
FST-200	-	-	-
FST-201	-	-	-
FST-202	-	-	-
FST-204	-	-	-
FST-208	-	-	-
FST-211	-	-	-
FST-212	-	-	-
FST-213	-	-	-
FST-216	-	-	-
FST-217	-	-	-
FST-218	-	-	_
FST-219	-	100%	_
FST-222	_	100%	_
FST-223	_	100%	
	-	100 /0	-
FST-224	-	-	-
FST-226	-	-	-
FST-229	-	-	-
FST-231	-	-	-
FST-240	-	-	-

CTE Full Review Fire Science 2012-2020 PRC Approved: 12.10.20 BOT Approved: 3.9.21

FST-241	-	-
FST-242	-	-
FST-243	-	-
FST-244	-	-
FST-245	100%	100%
FST-246	100%	100%
FST-247	100%	-
FST-248	-	100%
FST-249	-	100%
FST-250	100%	100%
FST-251	100%	100%
FST-252	100%	100%
FST-253	100%	-
FST-254	100%	-
FST-256	100%	-
FST-257	100%	100%
FST-258	100%	100%
FST-259	100%	100%
FST-260	100%	100%
FST-261	100%	100%
FST-262	100%	100%
FST-263	100%	100%
FST-264	100%	100%
FST-266	-	-
FST-268	-	100%
FST-269	-	100%
FST-270	-	-
FST-271	-	100%
FST-272	-	100%
FST-273	-	-
FST-274	-	-
FST-275	-	-
FST-276	-	-
FST-277	-	-
FST-280	-	-
FST-290	100%	100%

FST-241	-	-	-
FST-242	-	-	-
FST-243	-	-	-
FST-244	-	-	-
FST-245	-	100%	-
FST-246	-	100%	-
FST-247	-	100%	-
FST-248	-	100%	-
FST-249	-	100%	-
FST-250	-	100%	-
FST-251	-	100%	-
FST-252	-	100%	-
FST-253	-	100%	-
FST-254	-	100%	-
FST-256	-	100%	-
FST-257	-	100%	-
FST-258	-	100%	-
FST-259	-	100%	-
FST-260	-	100%	-
FST-261	-	100%	-
FST-262	-	100%	-
FST-263	-	100%	-
FST-264	-	100%	-
FST-266	-	-	-
FST-268	-	100%	-
FST-269	-	100%	-
FST-270	-	-	-
FST-271	-	100%	-
FST-272	-	100%	-
FST-273	-	-	-
FST-274	-	-	-
FST-275	-	-	-
FST-276	-	-	-
FST-277	-	-	-
FST-280	-	-	-
FST-290	-	100%	-

FST	2018
Year	2018

Retention		
	2018FA	2019SP
FST-080	100%	100%
FST-086	-	-
FST-090	-	-
FST-100	-	-
FST-102	-	-
FST-103	-	-

FST	2018
Year	2018

Retention			
	Corr.	F2F	Online
FST-080	-	100%	-
FST-086	-	-	-
FST-090	-	-	-
FST-100	-	-	-
FST-102	-	-	-
FST-103	-	-	-

FST-106	-	-
FST-107	-	-
FST-110	100%	100%
FST-111	100%	100%
FST-112	100%	-
FST-113	100%	_
FST-115	-	_
FST-116		_
FST-119	_	_
FST-120	_	_
FST-121	100%	_
FST-123	10070	_
FST-124		
FST-124	-	-
	-	-
FST-126	-	-
FST-129	-	-
FST-133	-	-
FST-148	-	-
FST-150	100%	100%
FST-151	100%	100%
FST-152	100%	100%
FST-153	100%	100%
FST-154	100%	100%
FST-155	100%	100%
FST-156	-	-
FST-157	100%	100%
FST-158	100%	100%
FST-159	100%	-
FST-160	-	-
FST-161	-	100%
FST-162	-	-
FST-163	100%	-
FST-164	-	-
FST-165	-	100%
FST-166	100%	100%
FST-167	100%	100%
FST-173	100%	-
FST-174	100%	100%
FST-175	-	-
FST-178	-	-
FST-179	-	-
FST-182	-	-
FST-183	-	100%
FST-186	-	-
FST-194	-	-
FST-195	-	-
FST-197	-	-
FST-198	-	_
FST-199	-	_
FST-200	-	_
	1	<u> </u>

FST-106	-	-	-
FST-107	-	-	-
FST-110	-	100%	-
FST-111	-	100%	-
FST-112	-	100%	-
FST-113	-	100%	-
FST-115	-	-	-
FST-116	-	_	-
FST-119	-	_	-
FST-120	_	_	
FST-121	_	100%	
FST-123	_	-	
FST-124	_		
FST-124	-	-	-
	-	-	-
FST-126	-	-	-
FST-129	-	-	-
FST-133	-	-	-
FST-148	-	-	-
FST-150	-	100%	-
FST-151	-	100%	-
FST-152	-	100%	-
FST-153	-	100%	-
FST-154	-	100%	-
FST-155	-	100%	-
FST-156	-	-	-
FST-157	-	100%	-
FST-158	-	100%	-
FST-159	-	100%	-
FST-160	-	-	-
FST-161	-	100%	-
FST-162	-	-	-
FST-163	-	100%	-
FST-164	-	-	-
FST-165	-	100%	-
FST-166	-	100%	-
FST-167	-	100%	-
FST-173	-	100%	-
FST-174	-	100%	-
FST-175	-	-	-
FST-178	-	-	-
FST-179	-	-	-
FST-182	-	-	_
FST-183	-	100%	_
FST-186	-	-	_
FST-194	_	-	<u> </u>
FST-194	_		
FST-195	_	-	-
FST-197	-	-	-
	-	-	-
FST-199	-	-	-
FST-200	-	-	-

CTE Full Review Fire Science 2012-2020 PRC Approved: 12.10.20 BOT Approved: 3.9.21

FST-201	-	-
FST-202	-	-
FST-204	-	-
FST-208	-	-
FST-211	-	-
FST-212	-	-
FST-213	-	-
FST-216	-	_
FST-217	-	-
FST-218	-	_
FST-219	100%	_
FST-222	100%	100%
FST-223	-	100%
FST-224	_	100%
FST-224	100%	10076
FST-226 FST-229	- 100%	
FST-229 FST-231	-	-
	-	-
FST-240	-	-
FST-241	-	-
FST-242	-	-
FST-243	-	-
FST-244	-	-
FST-245	-	100%
FST-246	100%	100%
FST-247	-	100%
FST-248	-	100%
FST-249	-	100%
FST-250	100%	100%
FST-251	100%	100%
FST-252	-	100%
FST-253	-	100%
FST-254	-	-
FST-256	-	100%
FST-257	100%	100%
FST-258	100%	100%
FST-259	100%	100%
FST-260	100%	100%
FST-261	100%	-
FST-262	100%	-
FST-263	100%	-
FST-264	100%	-
FST-266	-	-
FST-268	-	-
FST-269	-	100%
FST-270	-	-
FST-271	-	-
FST-272	-	100%
FST-273	-	-
FST-274	-	100%
FST-275	100%	100%
101-213	10070	10070

FST-201	l _	l _	
FST-202	_	_	
FST-202	_	_	
FST-204	-	-	-
	-	-	-
FST-211	-	-	-
FST-212	-	-	-
FST-213	-	-	-
FST-216	-	-	-
FST-217	-	-	-
FST-218	-	-	-
FST-219	-	100%	-
FST-222	-	100%	-
FST-223	-	100%	-
FST-224	-	100%	-
FST-226	-	100%	-
FST-229	-	-	-
FST-231	-	-	-
FST-240	-	-	-
FST-241	-	-	-
FST-242	-	-	-
FST-243	-	-	-
FST-244	-	-	-
FST-245	-	100%	-
FST-246	-	100%	-
FST-247	-	100%	-
FST-248	-	100%	-
FST-249	-	100%	-
FST-250	-	100%	-
FST-251	-	100%	-
FST-252	_	100%	-
FST-253	-	100%	-
FST-254	-	-	-
FST-256	_	100%	_
FST-257	_	100%	
FST-258	_	100%	
FST-259	_	100%	
FST-260	_	100%	
FST-260		100%	-
FST-261 FST-262	-		-
FST-262 FST-263	-	100%	-
	-	100%	-
FST-264	-	100%	-
FST-266	-	-	-
FST-268	-	-	-
FST-269	-	100%	-
FST-270	-	-	-
FST-271	-	-	-
FST-272	-	100%	-
FST-273	-	-	-
FST-274	-	100%	-
FST-275	-	100%	-

FST-276	-	100%
FST-277	100%	100%
FST-280	-	-
FST-290	100%	100%

FST-276	-	100%	-
FST-277	-	100%	-
FST-280	-	-	-
FST-290	-	100%	-

2019

FST

FST 2019

Retention		
	2019FA	2020SP
FST-080	100%	-
FST-086	-	-
FST-090	-	-
FST-100	-	-
FST-102	-	-
FST-103	-	-
FST-106	-	-
FST-107	-	-
FST-110	100%	-
FST-111	100%	-
FST-112	-	-
FST-113	-	-
FST-115	-	-
FST-116	-	-
FST-119	-	-
FST-120	-	-
FST-121	-	-
FST-123	-	-
FST-124	-	-
FST-125	-	-
FST-126	-	-
FST-129	-	-
FST-133	-	-
FST-148	-	-
FST-150	100%	100%
FST-151	100%	-
FST-152	100%	-
FST-153	100%	-
FST-154	100%	-
FST-155	100%	-
FST-156	-	-
FST-157	100%	100%
FST-158	100%	100%
FST-159	-	100%
FST-160	-	-
FST-161	100%	-
FST-162	-	100%
FST-163	100%	100%
FST-164	-	-

Retention			
Retention	Corr.	F2F	Online
FST-080	-	100%	-
FST-086	_	-	-
FST-090	_	-	
FST-100	_	_	
FST-102	-	-	-
FST-103	-	-	-
FST-106	-	-	-
FST-107	-	-	-
FST-110	-	100%	-
FST-111	-	100%	-
FST-112	-	-	-
FST-113	-	-	-
FST-115	-	_	-
FST-116	-	_	-
FST-119	_	_	
FST-120	_	_	-
FST-121	-	_	-
FST-123	_	_	
FST-124	_	_	
FST-125	_	_	-
FST-126	-	_	-
FST-129	-	-	-
FST-133	-	-	-
FST-148	-	_	-
FST-150	-	100%	-
FST-151	_	100%	-
FST-152	-	100%	-
FST-153	-	100%	-
FST-154	-	100%	-
FST-155	-	100%	-
FST-156	-	-	-
FST-157	-	100%	_
FST-158	-	100%	-
FST-159	-	100%	_
FST-160	-	-	_
FST-161	-	100%	_
FST-162	-	100%	_
FST-163	-	100%	_
FST-164	-	-	_
101 104	1	1	

FST-165	100%	100%
FST-166	100%	100%
FST-167	-	100%
FST-173	100%	10070
FST-174	100%	100%
	100 /6	100 /6
FST-175	-	-
FST-178	-	-
FST-179	-	-
FST-182	-	-
FST-183	-	-
FST-186	-	-
FST-194	-	-
FST-195	-	-
FST-197	-	-
FST-198	-	-
FST-199	-	-
FST-200	-	-
FST-201	-	-
FST-202	-	-
FST-204	-	-
FST-208	-	-
FST-211	-	-
FST-212	-	-
FST-213	-	_
FST-216	-	-
FST-217	-	-
FST-218	-	_
FST-219	100%	100%
FST-222	100%	-
FST-223	100%	100%
FST-224	10070	100%
FST-224	-	10076
FST-220	- 100%	-
	100%	-
FST-231	-	-
FST-240	-	-
FST-241	-	-
FST-242	-	-
FST-243	-	-
FST-244	-	-
FST-245	100%	100%
FST-246	100%	-
FST-247	100%	-
FST-248	100%	-
FST-249	-	100%
FST-250	100%	100%
FST-251	100%	-
FST-252	-	-
FST-253	-	-
FST-254	100%	-
FST-256	-	_
	l	1

FST-165	-	100%	-
FST-166	-	100%	-
FST-167	-	100%	-
FST-173	-	100%	-
FST-174	-	100%	-
FST-175	-	-	-
FST-178	-	_	-
FST-179	_	_	-
FST-182	-	-	-
FST-183	_	_	-
FST-186	_	_	_
FST-194	_	_	_
FST-195	_	-	
FST-197		1	
FST-197	-	-	-
	-	-	-
FST-199	-	-	-
FST-200	-	-	-
FST-201	-	-	-
FST-202	-	-	-
FST-204	-	-	-
FST-208	-	-	-
FST-211	-	-	-
FST-212	-	-	-
FST-213	-	-	-
FST-216	-	-	-
FST-217	-	-	-
FST-218	-	-	-
FST-219	-	100%	-
FST-222	-	100%	-
FST-223	-	100%	-
FST-224	-	100%	-
FST-226	-	-	-
FST-229	-	100%	-
FST-231	-	-	-
FST-240	-	-	-
FST-241	-	-	-
FST-242	-	-	-
FST-243	-	-	-
FST-244	-	-	-
FST-245	-	100%	-
FST-246	_	100%	_
FST-240	_	100%	_
FST-247	-	100%	-
FST-248			
	-	100%	-
FST-250	-	100%	-
FST-251	-	100%	-
FST-252	-	-	-
FST-253	-	-	-
FST-254	-	100%	-
FST-256	-	-	-

CTE Full Review Fire Science 2012-2020 PRC Approved: 12.10.20 BOT Approved: 3.9.21

FST-257	-	-
FST-258	-	-
FST-259	-	-
FST-260	-	-
FST-261	-	100%
FST-262	-	-
FST-263	-	-
FST-264	-	-
FST-266	-	100%
FST-268	100%	100%
FST-269	-	-
FST-270	-	-
FST-271	-	-
FST-272	-	-
FST-273	-	-
FST-274	-	100%
FST-275	100%	100%
FST-276	-	-
FST-277	100%	-
FST-280	-	-
FST-290	100%	-

FST-257	-	-	-
FST-258	-	-	-
FST-259	-	-	-
FST-260	-	-	-
FST-261	-	100%	-
FST-262	-	-	-
FST-263	-	-	-
FST-264	-	-	-
FST-266	-	100%	-
FST-268	-	100%	-
FST-269	-	-	-
FST-270	-	-	-
FST-271	-	-	-
FST-272	-	-	-
FST-273	-	-	-
FST-274	-	100%	-
FST-275	-	100%	-
FST-276	-	-	-
FST-277	-	100%	-
FST-280	-	-	-
FST-290	-	100%	-

c. Based on the number of annual awards over the preceding four (4) years, assess trends in the number of program certificates and degrees awarded.

Name of Award	2013-14	2016-17	2018-19
Firefighter I Cert of Career Prep	1	-	-
Fire Instructor II Cert of Career Prep	1	-	-
HazMat Materials Specialist AS	-	1	6

Review of the courses offered during the past eight semesters showed that none of the courses required for the two certificates was offered, so it would be impossible for someone to earn either certificate during the past several years. This explains the absence of any certificate awards past 2013-14. IEC and PVC program administrators need to evaluate the two certificates and decide what changes are needed. The courses for the AS degree, on the other hand, have been offered periodically making it possible for students to complete the degree requirements.

13. ENROLLMENT TRENDS

Note: the Program Review Committee will research the required enrollment data and provide it to program faculty members for their review and analysis for this report.

Comment on semester-by-semester enrollments, providing explanation of increases, declines or erratic fluctuations in enrollment. Be sure to comment on enrollment trends based on modality as well.

The following graph shows that FST duplicated student enrollment is very substantial, with median semester enrollment of 2,694 students. The graph shows that, while there are small fluctuations, the trend is gradually upward. The drop in SP 2020 is likely the result of lag time in getting complete data reported for this report. All FST courses are offered in face-to-face mode.



FST	2012	
Enrollment		
	2012FA	2013SP
FST-080	543	852
FST-086	-	-
FST-090	-	-
FST-100	10	-
FST-102	-	-
FST-103	-	-
FST-106	-	-
FST-107	-	-
FST-110	87	-
FST-111	138	-
FST-112	3	-
FST-113	-	-
FST-115	16	-
FST-116	-	-
FST-119	-	-
FST-120	-	-
FST-121	-	-
FST-123	-	-
FST-124	-	-
FST-125	-	-
FST-126	-	-
FST-129	-	-
FST-133	-	16
FST-148	-	-
FST-150	41	24
FST-151	12	-
FST-152	113	26
FST-153	51	57
FST-154	66	56
FST-155	67	56
FST-156	-	-
FST-157	46	30
FST-158	30	30
FST-159	-	-
FST-160	-	-
FST-161	36	37
FST-162	-	19
FST-163	-	20
FST-164	-	-
FST-165	-	-
FST-166	-	13
FST-167	39	10
FST-173	28	11
FST-174	137	10
FST-175	23	22
FST-178	-	14
FST-179	-	10
FST-182	-	-

FST	2012		
Enrollment			
	Corr.	F2F	Online
FST-080	-	1395	-
FST-086	-	-	-
FST-090	-	-	-
FST-100	-	10	-
FST-102	-	-	-
FST-103	-	-	-
FST-106	-	-	-
FST-107	-	-	-
FST-110	-	87	-
FST-111	-	138	-
FST-112	-	3	-
FST-113	-	-	-
FST-115	-	16	-
FST-116	-	-	-
FST-119	-	-	-
FST-120	-	-	-
FST-121	-	-	-
FST-123	-	-	-
FST-124	-	-	-
FST-125	-	-	-
FST-126	-	-	-
FST-129	-	-	-
FST-133	-	16	-
FST-148	-	-	-
FST-150	-	65	-
FST-151	-	12	-
FST-152	-	139	-
FST-153	-	108	-
FST-154	-	122	-
FST-155	-	123	-
FST-156	-	-	-
FST-157	-	76	-
FST-158	-	60	-
FST-159	-	-	-
FST-160	-	-	-
FST-161	-	73	-
FST-162	-	19	-
FST-163	-	20	-
FST-164	-	-	-
FST-165	-	-	-
FST-166	-	13	-
FST-167	-	49	-
FST-173	-	39	-
FST-174	-	147	-
FST-175	-	45	-
FST-178	-	14	-
FST-179	-	10	-
FST-182	-	-	-
		I	I

CTE Full Review Fire Science 2012-2020 PRC Approved: 12.10.20 BOT Approved: 3.9.21

FST-183	-	-
FST-186	-	11
FST-194	-	13
FST-195	-	15
FST-197	-	-
FST-198	-	-
FST-199	-	_
FST-200	_	10
FST-201	_	-
FST-202	_	_
FST-204	_	_
FST-208	_	_
FST-211	_	16
FST-212		18
FST-212	-	15
	-	15
FST-216	-	-
FST-217	-	-
FST-218	-	-
FST-219	-	-
FST-222	21	10
FST-223	-	-
FST-224	-	-
FST-226	-	-
FST-229	10	36
FST-231	-	14
FST-240	-	-
FST-241	-	-
FST-242	-	-
FST-243	-	-
FST-244	-	-
FST-245	-	-
FST-246	-	-
FST-247	-	-
FST-248	-	-
FST-249	-	-
FST-250	515	222
FST-251	27	54
FST-252	-	-
FST-253	-	-
FST-254	-	-
FST-256	-	-
FST-257	-	-
FST-258	-	-
FST-259	-	-
FST-260	-	-
FST-261	-	-
FST-262	-	-
FST-263	-	-
FST-264	-	-
FST-266	-	_
	1	·

FST-183	l _		_
FST-186	_	11	
FST-194	-	13	
FST-194	-	15	-
	-		-
FST-197	-	-	-
FST-198	-	-	-
FST-199	-	-	-
FST-200	-	10	-
FST-201	-	-	-
FST-202	-	-	-
FST-204	-	-	-
FST-208	-	-	-
FST-211	-	16	-
FST-212	-	18	-
FST-213	-	15	-
FST-216	-	-	-
FST-217	-	-	-
FST-218	-	-	-
FST-219	-	-	-
FST-222	-	31	-
FST-223	-	-	-
FST-224	-	-	-
FST-226	-	-	-
FST-229	-	46	-
FST-231	-	14	-
FST-240	-	-	-
FST-241	-	-	-
FST-242	-	-	-
FST-243	-	-	-
FST-244	-	-	-
FST-245	-	-	-
FST-246	-	-	-
FST-247	-	-	-
FST-248	-	-	-
FST-249	-	-	-
FST-250	-	737	-
FST-251	-	81	-
FST-252	-	-	-
FST-253	-	-	-
FST-254	-	-	-
FST-256	-	-	-
FST-257	-	-	-
FST-258	-	-	-
FST-259	-	-	-
FST-260	-	-	-
FST-261	-	-	-
FST-262	-	-	-
FST-263	-	-	-
FST-264	-	-	_
FST-266	-	-	
	1	1	

FST-268	-	-
FST-269	-	-
FST-270	-	-
FST-271	-	-
FST-272	-	-
FST-273	-	-
FST-274	-	-
FST-275	-	-
FST-276	-	-
FST-277	-	-
FST-280	-	-
FST-290	48	72

1	i i	1	1 1
FST-268	-	-	-
FST-269	-	-	-
FST-270	-	-	-
FST-271	-	-	-
FST-272	-	-	-
FST-273	-	-	-
FST-274	-	-	-
FST-275	-	-	-
FST-276	-	-	-
FST-277	-	_	_
FST-280	-	-	-
FST-290	-	120	-

FST

2013

FST 2013

Enrollment		
	2013FA	2014SP
FST-080	764	780
FST-086	-	-
FST-090	-	-
FST-100	14	12
FST-102	-	-
FST-103	21	-
FST-106	-	-
FST-107	-	-
FST-110	34	-
FST-111	76	-
FST-112	33	-
FST-113	-	-
FST-115	8	-
FST-116	4	-
FST-119	-	15
FST-120	-	-
FST-121	-	-
FST-123	-	-
FST-124	-	-
FST-125	-	-
FST-126	-	-
FST-129	24	-
FST-133	-	-
FST-148	-	-
FST-150	75	76
FST-151	20	42
FST-152	56	74
FST-153	45	56
FST-154	30	42
FST-155	31	42
FST-156	-	-

Enrollment			
	Corr.	F2F	Online
FST-080	-	1544	-
FST-086	-	-	-
FST-090	-	-	-
FST-100	-	26	-
FST-102	-	-	-
FST-103	-	21	-
FST-106	-	-	-
FST-107	-	-	-
FST-110	-	34	-
FST-111	-	76	-
FST-112	-	33	-
FST-113	-	-	-
FST-115	-	8	-
FST-116	-	4	-
FST-119	-	15	-
FST-120	-	-	-
FST-121	-	-	-
FST-123	-	-	-
FST-124	-	-	-
FST-125	-	-	-
FST-126	-	-	-
FST-129	-	24	-
FST-133	-	-	-
FST-148	-	-	-
FST-150	-	151	-
FST-151	-	62	-
FST-152	-	130	-
FST-153	-	101	-
FST-154	-	72	-
FST-155	-	73	-
FST-156	-	-	-

FST-157	74	8
FST-158	72	8
FST-159	4	-
FST-160	-	-
FST-161	55	21
FST-162	24	10
FST-163	-	20
FST-164	13	-
FST-165	-	19
FST-166	30	135
FST-167	42	11
FST-173	38	12
FST-174	21	16
FST-175		19
FST-178	_	32
FST-179	_	23
FST-182	_	- 20
FST-183	_	_
FST-186		_
FST-194		_
FST-194	_	16
FST-195	- 14	10
FST-197 FST-198	14	-
	10	-
FST-199	-	26
FST-200	-	-
FST-201	-	-
FST-202	11	-
FST-204	-	-
FST-208	-	-
FST-211	-	-
FST-212	-	-
FST-213	-	-
FST-216	-	-
FST-217	-	-
FST-218	-	-
FST-219	-	23
FST-222	20	34
FST-223	-	-
FST-224	-	-
FST-226	-	-
FST-229	17	17
FST-231	-	-
FST-240	18	21
FST-241	-	-
FST-242	-	-
FST-243	-	-
FST-244	-	-
FST-245	-	-
FST-246	-	-
FST-247	-	-

EQT 157	1	82	
FST-157	-		-
FST-158	-	80	-
FST-159	-	4	-
FST-160	-	-	-
FST-161	-	76	-
FST-162	-	34	-
FST-163	-	20	-
FST-164	-	13	-
FST-165	-	19	-
FST-166	-	165	-
FST-167	-	53	-
FST-173	-	50	-
FST-174	-	37	-
FST-175	-	19	-
FST-178	-	32	-
FST-179	-	23	-
FST-182	-	-	-
FST-183	-	-	-
FST-186	-	-	-
FST-194	-	-	-
FST-195	-	16	-
FST-197	-	14	-
FST-198	-	10	-
FST-199	-	26	-
FST-200	-	-	-
FST-201	-	-	-
FST-202	-	11	-
FST-204	-	-	-
FST-208	-	-	-
FST-211	-	-	-
FST-212	-	-	-
FST-213	-	-	-
FST-216	-	-	-
FST-217	-	-	-
FST-218	-	-	-
FST-219	-	23	-
FST-222	-	54	-
FST-223	-	-	-
FST-224	-	-	-
FST-226	-	-	-
FST-229	-	34	-
FST-231	-	-	-
FST-240	-	39	-
FST-241	-	-	-
FST-242	-	-	-
FST-243	-	-	-
FST-244	-	-	-
FST-245	-	-	-
FST-246	-	-	_
FST-247	-	-	-
	1	I	

FST-248	-	-
FST-249	-	-
FST-250	360	282
FST-251	33	28
FST-252	-	-
FST-253	-	-
FST-254	-	-
FST-256	-	-
FST-257	-	-
FST-258	-	-
FST-259	-	-
FST-260	-	-
FST-261	-	-
FST-262	-	-
FST-263	-	-
FST-264	-	-
FST-266	-	-
FST-268	-	-
FST-269	-	-
FST-270	-	-
FST-271	-	-
FST-272	-	-
FST-273	-	-
FST-274	-	-
FST-275	-	-
FST-276	-	-
FST-277	-	-
FST-280	19	14
FST-290	40	202

FST-248	-	-	-
FST-249	-	-	-
FST-250	-	642	-
FST-251	-	61	-
FST-252	-	-	-
FST-253	-	-	-
FST-254	-	-	-
FST-256	-	-	-
FST-257	-	-	-
FST-258	-	-	-
FST-259	-	-	-
FST-260	-	-	-
FST-261	-	-	-
FST-262	-	-	-
FST-263	-	-	-
FST-264	-	-	-
FST-266	-	-	-
FST-268	-	-	-
FST-269	-	-	-
FST-270	-	-	-
FST-271	-	-	-
FST-272	-	-	-
FST-273	-	-	-
FST-274	-	-	-
FST-275	-	-	-
FST-276	-	-	-
FST-277	-	-	-
FST-280	-	33	-
FST-290	-	242	-
FST-290	-	242	-

FST 2014

Enrollment		
	2014FA	2015SP
FST-080	788	771
FST-086	-	-
FST-090	-	-
FST-100	-	-
FST-102	-	-
FST-103	-	19
FST-106	-	-
FST-107	-	-
FST-110	27	-
FST-111	38	-
FST-112	33	-
FST-113	-	-
FST-115	15	-
FST-116	-	11

FST 2014

Enrollment			
	Corr.	F2F	Online
FST-080	-	1559	-
FST-086	-	-	-
FST-090	-	-	-
FST-100	-	-	-
FST-102	-	-	-
FST-103	-	19	-
FST-106	-	-	-
FST-107	-	-	-
FST-110	-	27	-
FST-111	-	38	-
FST-112	-	33	-
FST-113	-	-	-
FST-115	-	15	-
FST-116	-	11	-

FOT 440	1	
FST-119	-	-
FST-120	-	-
FST-121	-	-
FST-123	-	-
FST-124	-	32
FST-125	-	-
FST-126	-	-
FST-129	-	-
FST-133	-	-
FST-148	-	-
FST-150	-	-
FST-151	42	20
FST-152	125	171
FST-153	118	189
FST-154	145	126
FST-155	149	126
FST-156	-	-
FST-157	99	-
FST-158	99	-
FST-159	-	-
FST-160	-	-
FST-161	31	54
FST-162	14	15
FST-163	18	20
FST-164	-	-
FST-165	-	34
FST-166	-	62
FST-167	40	-
FST-173	13	23
FST-174	52	-
FST-175	40	14
FST-178	30	-
FST-179	23	24
FST-182	7	48
FST-183		-
FST-186	-	-
FST-194	_	17
FST-195		18
FST-197		15
FST-198	-	13
FST-199	-	23
FST-200	- 13	
FST-200	13	- 27
FST-201	13	<u> </u>
FST-202 FST-204	-	- 22
	-	
FST-208 FST-211	-	16
	-	-
FST-212	-	-
FST-213 FST-216	-	-
	-	-

FOT 440	I		
FST-119	-	-	-
FST-120	-	-	-
FST-121	-	-	-
FST-123	-	-	-
FST-124	-	32	-
FST-125	-	-	-
FST-126	-	-	-
FST-129	-	-	-
FST-133	-	-	-
FST-148	-	-	-
FST-150	-	-	-
FST-151	-	62	-
FST-152	-	296	-
FST-153	-	307	-
FST-154	-	271	-
FST-155	-	275	-
FST-156	-	-	-
FST-157	-	99	-
FST-158	-	99	-
FST-159	-	-	-
FST-160	-	-	-
FST-161	-	85	-
FST-162	-	29	-
FST-163	-	38	-
FST-164	-	-	-
FST-165	-	34	-
FST-166	-	62	-
FST-167	-	40	-
FST-173	-	36	-
FST-174	-	52	-
FST-175	-	54	-
FST-178	-	30	-
FST-179	-	47	-
FST-182	-	55	-
FST-183	-	-	_
FST-186	-	-	_
FST-194	-	17	-
FST-195		18	_
FST-197	_	15	
FST-197		18	
FST-198		23	
FST-200		 13	
FST-200		46	
	-	40 -	-
FST-202	-		-
FST-204	-	22	-
FST-208	-	16	-
FST-211	-	-	-
FST-212	-	-	-
FST-213	-	-	-
FST-216	-	-	-

FST-217	-	-
FST-218	-	-
FST-219	-	20
FST-222	-	86
FST-223	-	-
FST-224	-	-
FST-226	-	-
FST-229	25	-
FST-231	-	-
FST-240	-	-
FST-241	-	-
FST-242	-	-
FST-243	-	-
FST-244	-	-
FST-245	_	-
FST-246	_	-
FST-247	_	_
FST-248	_	
FST-249	_	_
FST-250	432	423
FST-251	18	93
FST-252	10	35
FST-253	-	-
FST-253	-	-
FST-254	-	-
FST-250	-	-
FST-257	-	-
FST-256 FST-259	-	-
	-	-
FST-260	-	-
FST-261	-	-
FST-262	-	-
FST-263	-	-
FST-264	-	-
FST-266	-	-
FST-268	-	-
FST-269	-	-
FST-270	-	-
FST-271	-	-
FST-272	-	-
FST-273	-	-
FST-274	-	-
FST-275	-	-
FST-276	-	-
FST-277	-	-
FST-280	-	-
FST-290		157

FST-217	-	-	-
FST-218	-	-	-
FST-219	_	20	_
FST-222	-	86	_
FST-223	-	-	_
FST-224	-	-	
FST-226	_	-	
FST-229	_	25	
FST-229	-	-	
FST-240			
FST-240		_	
	-	-	-
FST-242	-	-	-
FST-243	-	-	-
FST-244	-	-	-
FST-245	-	-	-
FST-246	-	-	-
FST-247	-	-	-
FST-248	-	-	-
FST-249	-	-	-
FST-250	-	855	-
FST-251	-	111	-
FST-252	-	-	-
FST-253	-	-	-
FST-254	-	-	-
FST-256	-	-	-
FST-257	-	-	-
FST-258	-	-	-
FST-259	-	-	-
FST-260	-	-	-
FST-261	-	-	-
FST-262	-	-	-
FST-263	-	-	-
FST-264	-	-	-
FST-266	-	-	-
FST-268	-	-	-
FST-269	-	-	-
FST-270	-	-	-
FST-271	-	-	_
FST-272	-	-	_
FST-273	-	-	_
FST-274	-	-	_
FST-275	-	-	
FST-275	-		
FST-277	-	-	-
FST-280	-	-	-
	-	-	-
FST-290	-	256	-

FST	2015	
Enrollment		

FST	2015	
Enrollment		

	2015FA	2016SP
FST-080	880	868
FST-086	-	-
FST-090	-	-
FST-100	-	13
FST-102	-	-
FST-103	-	-
FST-106	-	-
FST-107	-	-
FST-110	55	32
FST-111	71	32
FST-112	41	-
FST-113	-	-
FST-115	-	-
FST-116	-	-
FST-119	-	-
FST-120	-	-
FST-121	-	-
FST-123	-	
FST-124	26	-
FST-125	-	-
FST-126	-	_
FST-129	_	_
FST-133		
FST-148	_	_
FST-150	69	61
FST-151		52
FST-152	119	297
FST-153	109	297
FST-154	86	320
FST-155	86	319
FST-155	00	519
FST-156	- 97	- 96
FST-158	97	96
FST-159	-	11
FST-160	-	-
FST-161	9	50
FST-162	31	33
FST-163	24	19
FST-164	-	-
FST-165	25	36
FST-166	53	44
FST-167	67	-
FST-173	44	13
FST-174	23	33
FST-175	64	29
FST-178	23	-
FST-179	-	14
FST-182	18	-

	Corr.	F2F	Online
FST-080	-	1748	-
FST-086	-	-	-
FST-090	-	-	-
FST-100	-	13	_
FST-102	-	-	-
FST-103	-	-	-
FST-106	-	-	-
FST-107	-	-	-
FST-110	-	87	-
FST-111	-	103	-
FST-112	-	41	-
FST-113	-	-	-
FST-115	-	_	-
FST-116	-	-	_
FST-119	-	-	-
FST-120	-	-	_
FST-121	-	-	-
FST-123	-	-	
FST-124	_	26	
FST-125	_	- 20	_
FST-126	_		
FST-129	_	_	
FST-133			
FST-148	_	_	
FST-140	-	- 130	-
FST-150	-	52	-
FST-151 FST-152	-	416	-
FST-152	-		-
FST-153	-	406	-
	-	406	-
FST-155	-	405	-
FST-156	-	-	-
FST-157	-	193	-
FST-158	-	193	-
FST-159	-	11	-
FST-160	-	-	-
FST-161	-	59	-
FST-162	-	64	-
FST-163	-	43	-
FST-164	-	-	-
FST-165	-	61	-
FST-166	-	97	-
FST-167	-	67	-
FST-173	-	57	-
FST-174	-	56	-
FST-175	-	93	-
FST-178	-	23	-
FST-179	-	14	-
FST-182	-	18	-

1	1	i i
FST-183	41	-
FST-186	-	9
FST-194	-	10
FST-195	-	7
FST-197	-	12
FST-198	-	8
FST-199	17	13
FST-200	-	-
FST-201	20	-
FST-202	-	-
FST-204	15	-
FST-208	-	21
FST-211	-	-
FST-212	7	5
FST-213	22	-
FST-216	-	
FST-217	_	
FST-217	-	_
	-	
FST-219	17	10
FST-222	-	-
FST-223	-	-
FST-224	-	-
FST-226	-	-
FST-229	-	-
FST-231	-	-
FST-240	-	-
FST-241	-	-
FST-242	-	-
FST-243	-	-
FST-244	-	-
FST-245	-	-
FST-246	-	-
FST-247	-	-
FST-248	-	-
FST-249	-	_
FST-250	467	524
FST-251	24	-
FST-252	-	_
FST-253	-	_
FST-254	_	_
FST-256	_	
FST-250 FST-257	-	
	-	-
FST-258	-	-
FST-259	-	-
FST-260	-	-
FST-261	-	-
FST-262	-	-
FST-263	-	-
FST-264	-	-
FST-266	-	-

l	1	ı.	
FST-183	-	41	-
FST-186	-	9	-
FST-194	-	10	-
FST-195	-	7	-
FST-197	-	12	-
FST-198	-	8	-
FST-199	-	30	-
FST-200	-	-	-
FST-201	-	20	-
FST-202	-	-	-
FST-204	-	15	-
FST-208	-	21	-
FST-211	-	-	-
FST-212	-	12	-
FST-213	-	22	-
FST-216	-	-	-
FST-217	-	-	-
FST-218	-	-	-
FST-219	-	27	-
FST-222	-	-	-
FST-223	-	-	-
FST-224	-	-	-
FST-226	-	-	-
FST-229	-	-	-
FST-231	-	-	-
FST-240	-	-	-
FST-241	-	-	-
FST-242	-	-	-
FST-243	-	-	-
FST-244	-	-	-
FST-245	-	-	-
FST-246	-	-	-
FST-247	-	-	-
FST-248	-	-	-
FST-249	-	-	-
FST-250	-	991	-
FST-251	-	24	-
FST-252	-	-	-
FST-253	-	-	-
FST-254	-	-	-
FST-256	-	-	-
FST-257	-	-	-
FST-258	-	-	-
FST-259	-	-	-
FST-260	-	-	_
FST-261	-	-	_
FST-262	-	-	_
FST-263	-	-	
FST-264	-	-	
FST-266	-	-	-
101-200	-	I –	-

FST-268	-	-
FST-269	-	-
FST-270	-	-
FST-271	-	-
FST-272	-	-
FST-273	-	-
FST-274	-	-
FST-275	-	-
FST-276	-	-
FST-277	-	-
FST-280	-	-
FST-290	305	305

FOT OOO		l i	
FST-268	-	-	-
FST-269	-	-	-
FST-270	-	-	-
FST-271	-	-	-
FST-272	-	-	-
FST-273	-	-	-
FST-274	-	-	-
FST-275	-	-	-
FST-276	-	-	-
FST-277	-	-	-
FST-280	-	-	-
FST-290	-	610	-

FST

2016

FST 2016

Enrollment		
	2016FA	2017SP
FST-080	911	975
FST-086	-	-
FST-090	-	-
FST-100	-	-
FST-102	-	-
FST-103	-	-
FST-106	25	-
FST-107	-	-
FST-110	40	-
FST-111	98	11
FST-112	-	-
FST-113	-	-
FST-115	-	-
FST-116	-	-
FST-119	-	-
FST-120	-	-
FST-121	-	-
FST-123	-	-
FST-124	-	-
FST-125	-	-
FST-126	-	-
FST-129	-	-
FST-133	-	-
FST-148	-	-
FST-150	17	-
FST-151	24	-
FST-152	37	133
FST-153	37	133
FST-154	37	133
FST-155	37	133
FST-156	-	-

Enrollment			
	Corr.	F2F	Online
FST-080	-	1886	-
FST-086	-	-	-
FST-090	-	-	-
FST-100	-	-	-
FST-102	-	-	-
FST-103	-	-	-
FST-106	-	25	-
FST-107	-	-	-
FST-110	-	40	-
FST-111	-	109	-
FST-112	-	-	-
FST-113	-	-	-
FST-115	-	-	-
FST-116	-	-	-
FST-119	-	-	-
FST-120	-	-	-
FST-121	-	-	-
FST-123	-	-	-
FST-124	-	-	-
FST-125	-	-	-
FST-126	-	-	-
FST-129	-	-	-
FST-133	-	-	-
FST-148	-	-	-
FST-150	-	17	-
FST-151	-	24	-
FST-152	-	170	-
FST-153	-	170	-
FST-154	-	170	-
FST-155	-	170	-
FST-156	-	-	-

FST-157	37	66
FST-158	37	66
FST-159	2	11
FST-160	-	-
FST-161	-	14
FST-162	_	10
FST-163	-	19
FST-164	_	-
FST-165	-	-
FST-166	26	36
FST-167	32	9
FST-173	11	18
FST-174	64	22
FST-175	- 04	19
FST-178	-	19
	-	-
FST-179	-	-
FST-182	-	-
FST-183	48	31
FST-186	-	-
FST-194	-	-
FST-195	-	-
FST-197	-	-
FST-198	-	-
FST-199	-	-
FST-200	-	-
FST-201	-	-
FST-202	-	-
FST-204	-	-
FST-208	-	-
FST-211	-	-
FST-212	-	-
FST-213	-	-
FST-216	-	-
FST-217	-	-
FST-218	-	-
FST-219	5	-
FST-222	17	4
FST-223	-	-
FST-224	-	-
FST-226	-	-
FST-229	-	-
FST-231	-	-
FST-240	-	-
FST-241	-	-
FST-242	_	-
FST-242	_	
	-	-
FST-244	-	-
FST-245	-	-
FST-246	-	-
FST-247	-	-

	I	I	
FST-157	-	103	-
FST-158	-	103	-
FST-159	-	13	-
FST-160	-	-	-
FST-161	-	14	-
FST-162	-	10	-
FST-163	-	19	-
FST-164	-	-	-
FST-165	-	-	-
FST-166	-	62	-
FST-167	-	41	-
FST-173	-	29	-
FST-174	-	86	-
FST-175	-	19	-
FST-178	-	-	-
FST-179	-	-	-
FST-182	-	-	-
FST-183	-	79	-
FST-186	-	-	-
FST-194	-	-	-
FST-195	-	-	-
FST-197	-	-	-
FST-198	-	-	-
FST-199	-	-	-
FST-200	-	-	-
FST-201	-	-	-
FST-202	-	-	-
FST-204	-	-	-
FST-208	-	-	_
FST-211	-	-	-
FST-212	-	-	-
FST-213	-	-	-
FST-216	-	-	_
FST-217	_	_	_
FST-218	_	_	
FST-219	-	5	_
FST-222	-	21	_
FST-223	-	-	
FST-224	-	-	_
FST-224	_	-	
FST-229	-	-	⊢
FST-229	_		
FST-240			
FST-240		-	
FST-241	-	-	
FST-242 FST-243	-	-	-
FST-243 FST-244	-	-	-
	-	-	-
FST-245	-	-	-
FST-246	-	-	-
FST-247	-	-	-

FST-248	-	-
FST-249	-	-
FST-250	597	314
FST-251	153	-
FST-252	-	-
FST-253	-	-
FST-254	-	-
FST-256	-	-
FST-257	-	-
FST-258	-	-
FST-259	-	-
FST-260	-	-
FST-261	-	-
FST-262	-	-
FST-263	-	-
FST-264	-	-
FST-266	-	-
FST-268	-	-
FST-269	-	-
FST-270	-	-
FST-271	-	-
FST-272	-	-
FST-273	-	-
FST-274	-	-
FST-275	-	-
FST-276	-	-
FST-277	-	-
FST-280	32	11
FST-290	158	207

FST-249 - - FST-250 - 911 - FST-251 - 153 - FST-252 - - - FST-253 - - - FST-253 - - - FST-253 - - - FST-254 - - - FST-256 - - - FST-257 - - - FST-258 - - - FST-259 - - - FST-259 - - - FST-260 - - - FST-261 - - - FST-262 - - - FST-263 - - - FST-264 - - - FST-268 - - - FST-269 - - - FST-270 - - - FST-271 - - -	i	1		
FST-250 - 911 - FST-251 - 153 - FST-252 - - - FST-253 - - - FST-253 - - - FST-253 - - - FST-253 - - - FST-254 - - - FST-256 - - - FST-258 - - - FST-258 - - - FST-259 - - - FST-259 - - - FST-260 - - - FST-261 - - - FST-262 - - - FST-263 - - - FST-264 - - - FST-268 - - - FST-269 - - - FST-270 - - - FST-271 - - -	FST-248	-	-	-
FST-251 - 153 - FST-252 - - - FST-253 - - - FST-253 - - - FST-254 - - - FST-256 - - - FST-256 - - - FST-257 - - - FST-258 - - - FST-259 - - - FST-259 - - - FST-259 - - - FST-259 - - - FST-260 - - - FST-261 - - - FST-262 - - - FST-263 - - - FST-264 - - - FST-268 - - - FST-269 - - - FST-270 - - - FST-271 - - - </td <td>FST-249</td> <td>-</td> <td>-</td> <td>-</td>	FST-249	-	-	-
FST-252 - - FST-253 - - FST-254 - - FST-256 - - FST-256 - - FST-257 - - FST-258 - - FST-259 - - FST-259 - - FST-260 - - FST-261 - - FST-262 - - FST-263 - - FST-264 - - FST-268 - - FST-268 - - FST-269 - - FST-270 - - FST-271 - - FST-273 - - FST-274 - - FST-275 - - FST-276 - -	FST-250	-	911	-
FST-253 - - FST-254 - - FST-256 - - FST-257 - - FST-257 - - FST-257 - - FST-258 - - FST-259 - - FST-259 - - FST-260 - - FST-261 - - FST-262 - - FST-263 - - FST-264 - - FST-265 - - FST-266 - - FST-268 - - FST-269 - - FST-270 - - FST-270 - - FST-271 - - FST-273 - - FST-274 - - FST-275 - - FST-276 - -	FST-251	-	153	-
FST-254 - - FST-256 - - FST-257 - - FST-257 - - FST-257 - - FST-257 - - FST-258 - - FST-259 - - FST-260 - - FST-260 - - FST-261 - - FST-262 - - FST-263 - - FST-263 - - FST-264 - - FST-266 - - FST-268 - - FST-269 - - FST-270 - - FST-270 - - FST-271 - - FST-273 - - FST-273 - - FST-275 - - FST-276 - -	FST-252	-	-	-
FST-256 - - FST-257 - - FST-258 - - FST-259 - - FST-259 - - FST-260 - - FST-261 - - FST-261 - - FST-262 - - FST-263 - - FST-264 - - FST-266 - - FST-268 - - FST-269 - - FST-270 - - FST-270 - - FST-271 - - FST-273 - - FST-273 - - FST-274 - - FST-275 - - FST-276 - -	FST-253	-	-	-
FST-257 - - FST-258 - - FST-259 - - FST-260 - - FST-260 - - FST-260 - - FST-261 - - FST-262 - - FST-263 - - FST-264 - - FST-266 - - FST-268 - - FST-269 - - FST-269 - - FST-270 - - FST-271 - - FST-273 - - FST-273 - - FST-274 - - FST-275 - - FST-276 - -	FST-254	-	-	-
FST-258 - - FST-259 - - FST-260 - - FST-261 - - FST-261 - - FST-262 - - FST-263 - - FST-264 - - FST-266 - - FST-268 - - FST-269 - - FST-269 - - FST-270 - - FST-271 - - FST-273 - - FST-273 - - FST-274 - - FST-275 - -	FST-256	-	-	-
FST-259 - - FST-260 - - FST-261 - - FST-262 - - FST-263 - - FST-263 - - FST-263 - - FST-264 - - FST-266 - - FST-268 - - FST-269 - - FST-269 - - FST-270 - - FST-271 - - FST-273 - - FST-273 - - FST-274 - - FST-275 - - FST-276 - -	FST-257	-	-	-
FST-260 - - FST-261 - - FST-262 - - FST-263 - - FST-263 - - FST-264 - - FST-266 - - FST-268 - - FST-269 - - FST-270 - - FST-271 - - FST-272 - - FST-273 - - FST-274 - - FST-275 - -	FST-258	-	-	-
FST-261 - - FST-262 - - - FST-263 - - - FST-264 - - - FST-266 - - - FST-268 - - - FST-269 - - - FST-269 - - - FST-269 - - - FST-269 - - - FST-270 - - - FST-271 - - - FST-271 - - - FST-272 - - - FST-273 - - - FST-274 - - - FST-275 - - - FST-276 - - -	FST-259	-	-	-
FST-262 - - FST-263 - - FST-264 - - FST-266 - - FST-268 - - FST-269 - - FST-270 - - FST-271 - - FST-273 - - FST-273 - - FST-274 - - FST-275 - - FST-276 - -	FST-260	-	-	-
FST-263 - - FST-264 - - FST-266 - - FST-268 - - FST-269 - - FST-270 - - FST-271 - - FST-272 - - FST-273 - - FST-274 - - FST-275 - - FST-276 - -	FST-261	-	-	-
FST-264 - - FST-266 - - - FST-268 - - - FST-269 - - - FST-269 - - - FST-270 - - - FST-270 - - - FST-270 - - - FST-271 - - - FST-271 - - - FST-271 - - - FST-273 - - - FST-273 - - - FST-274 - - - FST-275 - - - FST-276 - - -	FST-262	-	-	-
FST-266 - - FST-268 - - FST-269 - - FST-270 - - FST-271 - - FST-271 - - FST-272 - - FST-273 - - FST-274 - - FST-275 - - FST-276 - -	FST-263	-	-	-
FST-268 - - FST-269 - - FST-270 - - FST-271 - - FST-272 - - FST-273 - - FST-274 - - FST-275 - - FST-276 - -	FST-264	-	-	-
FST-269 - - FST-270 - - FST-271 - - FST-272 - - FST-273 - - FST-274 - - FST-275 - - FST-276 - -	FST-266	-	-	-
FST-270 - - FST-271 - - FST-272 - - FST-273 - - FST-273 - - FST-274 - - FST-275 - - FST-276 - -	FST-268	-	-	-
FST-271 - - FST-272 - - FST-273 - - FST-273 - - FST-274 - - FST-275 - - FST-276 - -	FST-269	-	-	-
FST-272 - - FST-273 - - FST-274 - - FST-275 - - FST-276 - -	FST-270	-	-	-
FST-273 - - FST-274 - - FST-275 - - FST-276 - -	FST-271	-	-	-
FST-274 - - FST-275 - - FST-276 - -	FST-272	-	-	-
FST-275 - - FST-276 - -	FST-273	-	-	-
FST-276	FST-274	-	-	-
	FST-275	-	-	-
FST-277	FST-276	-	-	-
101211	FST-277	-	-	-
FST-280 - 43 -	FST-280	-	43	-
FST-290 - 365 -	FST-290	-	365	-

FST 2017

Enrollment		
	2017FA	2018SP
FST-080	977	1092
FST-086	-	-
FST-090	-	-
FST-100	-	-
FST-102	-	-
FST-103	-	-
FST-106	-	-
FST-107	-	-
FST-110	27	16
FST-111	27	16
FST-112	13	-
FST-113	13	-
FST-115	-	-
FST-116	-	-

FST	2017
-----	------

Enrollment			
	Corr.	F2F	Online
FST-080	-	2069	-
FST-086	-	-	-
FST-090	-	-	-
FST-100	-	-	-
FST-102	-	-	-
FST-103	-	-	-
FST-106	-	-	-
FST-107	-	-	-
FST-110	-	43	-
FST-111	-	43	-
FST-112	-	13	-
FST-113	-	13	-
FST-115	-	-	-
FST-116	-	-	-

1	I	1
FST-119	-	-
FST-120	-	-
FST-121	-	21
FST-123	-	-
FST-124	-	-
FST-125	-	-
FST-126	-	-
FST-129	-	-
FST-133	-	-
FST-148	-	-
FST-150	69	43
FST-151	3	-
FST-152	142	199
FST-153	141	199
FST-154	207	199
FST-155	207	183
FST-156	-	-
FST-157	109	156
FST-158	109	156
FST-159	28	13
FST-160	6	54
FST-161	0	13
FST-162	-	15
	-	
FST-163 FST-164	-	-
	-	-
FST-165	-	26
FST-166	46	28
FST-167	41	21
FST-173	22	15
FST-174	40	33
FST-175	11	18
FST-178	-	19
FST-179	-	-
FST-182	-	-
FST-183	-	-
FST-186	-	-
FST-194	-	-
FST-195	-	-
FST-197	-	-
FST-198	-	-
FST-199	-	-
FST-200	-	-
FST-201	-	-
FST-202	-	-
FST-204	-	-
FST-208	-	-
FST-211	-	
FST-212	-	
FST-212	_	
FST-213	-	
101-210	-	-

FST-119	-	-	-
FST-120	-	-	-
FST-121	-	21	-
FST-123	-	-	-
FST-124	-	-	-
FST-125	-	-	-
FST-126	-	-	-
FST-129	-	-	-
FST-133	-	-	-
FST-148	-	-	-
FST-150	-	112	-
FST-151	-	3	-
FST-152	-	341	-
FST-153	-	340	-
FST-154	-	406	-
FST-155	-	390	-
FST-156	-	-	-
FST-157	-	265	-
FST-158	_	265	_
FST-159	_	41	_
FST-160		60	_
FST-161	-	13	_
FST-162	-	-	_
FST-163	_	-	_
FST-164		-	
FST-165		26	
FST-166		74	
FST-167		62	
FST-173	-	37	-
FST-174	-		-
	-	73	-
FST-175 FST-178	-	29	-
	-	19	-
FST-179	-	-	-
FST-182	-	-	-
FST-183	-	-	-
FST-186	-	-	-
FST-194	-	-	-
FST-195	-	-	-
FST-197	-	-	-
FST-198	-	-	-
FST-199	-	-	-
FST-200	-	-	-
FST-201	-	-	-
FST-202	-	-	-
FST-204	-	-	-
FST-208	-	-	-
FST-211	-	-	-
FST-212	-	-	-
FST-213	-	-	-
FST-216	-	-	-

	ĺ	1 1
FST-217	-	-
FST-218	-	-
FST-219	19	-
FST-222	30	28
FST-223	-	9
FST-224	-	-
FST-226	-	-
FST-229	-	-
FST-231	-	-
FST-240	-	-
FST-241	-	_
FST-242	_	-
FST-243	_	-
FST-244	_	
FST-245	9	10
FST-245	19	10
FST-247	14	-
FST-248	-	26
FST-249	-	20
FST-250	289	397
FST-251	83	39
FST-252	7	6
FST-253	9	-
FST-254	8	-
FST-256	12	-
FST-257	28	14
FST-258	27	13
FST-259	18	11
FST-260	19	16
FST-261	20	7
FST-262	18	4
FST-263	9	4
FST-203	9 12	
	12	4
FST-266	-	-
FST-268	-	47
FST-269	-	9
FST-270	-	-
FST-271	-	49
FST-272	-	19
FST-273	-	-
FST-274	-	-
FST-275	-	-
FST-276	-	-
FST-277	-	-
FST-280	-	
FST-290	120	327
101200	120	021

FST-217	-	-	-
FST-218	-	-	-
FST-219	-	19	-
FST-222	-	58	-
FST-223	-	9	-
FST-224	-	-	-
FST-226	-	-	-
FST-229	-	-	-
FST-231	-	-	-
FST-240	-	-	-
FST-241	-	-	-
FST-242	-	-	-
FST-243	-	-	-
FST-244	-	-	-
FST-245	-	19	-
FST-246	-	29	-
FST-247	-	14	-
FST-248	-	26	-
FST-249	-	20	-
FST-250	-	686	-
FST-251	-	122	-
FST-252	-	13	-
FST-253	-	9	-
FST-254	-	8	-
FST-256	-	12	-
FST-257	-	42	-
FST-258	-	40	-
FST-259	-	29	-
FST-260	-	35	-
FST-261	-	27	-
FST-262	-	22	-
FST-263	-	13	-
FST-264	-	16	-
FST-266	-	-	-
FST-268	-	47	-
FST-269	-	9	-
FST-270	-	-	-
FST-271	-	49	-
FST-272	-	19	-
FST-273	-	-	-
FST-274	-	-	-
FST-275	-	-	-
FST-276	-	-	-
FST-277	-	-	-
FST-280	-	-	-
FST-290	-	447	-

FST 2	218
-------	-----

п

FST 2018

Enrollment		
	2018FA	2019SP
FST-080	1185	1269
FST-086	-	-
FST-090	-	-
FST-100	-	-
FST-102	-	-
FST-103	-	-
FST-106	-	-
FST-107	-	-
FST-110	51	28
FST-111	51	28
FST-112	6	-
FST-113	14	-
FST-115	-	-
FST-116	-	-
FST-119	-	-
FST-120	-	-
FST-121	9	-
FST-123	-	-
FST-124	-	-
FST-125	_	-
FST-126	_	-
FST-129	_	-
FST-133	_	-
FST-148	_	-
FST-150	21	63
FST-151	14	41
FST-152	90	211
FST-153	90	166
FST-154	90	166
FST-155	90	166
FST-156		-
FST-157	36	264
FST-158	36	264
FST-158	11	- 204
FST-160		-
FST-161	_	40
FST-162	-	
FST-163	5	
FST-164	-	
FST-165	_	- 24
FST-166	45	24
FST-167	45 69	4
FST-173	9	
FST-173	9 51	- 29
FST-174 FST-175	51	
FST-175 FST-178	-	-
	-	-
FST-179	-	-

Enrollment			
	Corr.	F2F	Online
FST-080	-	2454	-
FST-086	_	-	_
FST-090	_	_	_
FST-100	_	_	
FST-102		_	
FST-102			
FST-106			
FST-107	_	_	
FST-110	_	79	_
FST-111	_	79	_
FST-112	_	6	
FST-113	_	14	
FST-115	_	-	_
FST-116	_	_	_
FST-119	_	_	
FST-120		_	
FST-121		9	
FST-123			
FST-124		-	
FST-125		_	
FST-126		_	
FST-120	-	-	-
FST-129 FST-133	-	-	-
FST-135	-	-	-
	-	- 84	-
FST-150 FST-151	-		-
FST-151	-	55 201	-
	-	301	-
FST-153	-	256	-
FST-154	-	256	-
FST-155	-	256	-
FST-156	-	-	-
FST-157	-	300	-
FST-158	-	300	-
FST-159	-	11	-
FST-160	-	-	-
FST-161	-	40	-
FST-162	-	-	-
FST-163	-	5	-
FST-164	-	-	-
FST-165	-	24	-
FST-166	-	65	-
FST-167	-	73	-
FST-173	-	9	-
FST-174	-	80	-
FST-175	-	-	-
FST-178	-	-	-
FST-179	-	-	-

	1	1
FST-182	-	-
FST-183	-	14
FST-186	-	-
FST-194	-	-
FST-195	-	-
FST-197	-	-
FST-198	-	-
FST-199	-	-
FST-200	-	-
FST-201	-	-
FST-202	_	_
FST-204	_	_
FST-204		_
	-	-
FST-211	-	-
FST-212	-	-
FST-213	-	-
FST-216	-	-
FST-217	-	-
FST-218	-	-
FST-219	46	-
FST-222	18	35
FST-223	-	20
FST-224	-	19
FST-226	13	-
FST-229	-	-
FST-231	-	-
FST-240	-	-
FST-241	-	-
FST-242	-	-
FST-243	-	-
FST-244	-	-
FST-245	-	4
FST-246	5	12
FST-247	-	22
FST-248	-	14
FST-249	-	18
FST-250	608	459
FST-251	130	51
FST-252	-	15
FST-253	_	10
FST-254		
FST-254		- 14
FST-256 FST-257	- 14	14
FST-258	12	10
FST-259	10	9
FST-260	10	7
FST-261	14	-
FST-262	11	-
FST-263	11	-
FST-264	10	-

FST-182	-	-	-
FST-183	-	14	-
FST-186	-	-	-
FST-194	-	-	-
FST-195	-	-	-
FST-197	-	-	-
FST-198	-	-	-
FST-199	-	-	-
FST-200	-	-	-
FST-201	-	-	-
FST-202	-	-	-
FST-204	-	-	-
FST-208	-	-	-
FST-211	-	-	-
FST-212	-	-	-
FST-213	-	-	-
FST-216	-	-	-
FST-217	-	-	-
FST-218	-	-	-
FST-219	-	46	-
FST-222	-	53	-
FST-223	-	20	-
FST-224	-	19	-
FST-226	-	13	_
FST-229	-	-	_
FST-231	-		_
FST-240	_	_	_
FST-241	-	-	_
FST-242	_	_	
FST-243	_		
FST-244	-	-	-
FST-245	_	4	
FST-246		17	
FST-247		22	
FST-248	-	14	
FST-248	-	18	-
FST-250	-	1067	-
FST-251	-	181	
FST-252	-		-
FST-252 FST-253	-	15 10	-
FST-253 FST-254	-		-
	-	-	-
FST-256	-	14	-
FST-257	-	28	-
FST-258	-	22	-
FST-259	-	19	-
FST-260	-	17	-
FST-261	-	14	-
FST-262	-	11	-
FST-263	-	11	-
FST-264	-	10	-

FST-266	-	-
FST-268	-	-
FST-269	-	17
FST-270	-	-
FST-271	-	-
FST-272	-	11
FST-273	-	-
FST-274	-	19
FST-275	17	174
FST-276	-	14
FST-277	13	19
FST-280	-	-
FST-290	229	76

FST-266	-	-	-
FST-268	-	-	-
FST-269	-	17	-
FST-270	-	-	-
FST-271	-	-	-
FST-272	-	11	-
FST-273	-	-	-
FST-274	-	19	-
FST-275	-	191	-
FST-276	-	14	-
FST-277	-	32	-
FST-280	-	-	-
FST-290	-	305	-

FST

2019

Enrollment		
	2019FA	2020SP
FST-080	1300	-
FST-086	-	-
FST-090	-	-
FST-100	-	-
FST-102	-	-
FST-103	-	-
FST-106	-	-
FST-107	-	-
FST-110	58	-
FST-111	89	-
FST-112	-	-
FST-113	-	-
FST-115	-	-
FST-116	-	-
FST-119	-	-
FST-120	-	-
FST-121	-	-
FST-123	-	-
FST-124	-	-
FST-125	-	-
FST-126	-	-
FST-129	-	-
FST-133	-	-
FST-148	-	-
FST-150	37	49
FST-151	65	-
FST-152	75	-
FST-153	45	-
FST-154	45	-
FST-155	45	-

FST	2019
F31	2019

Enrollment			
	Corr.	F2F	Online
FST-080	-	1300	-
FST-086	-	-	-
FST-090	-	-	-
FST-100	-	-	-
FST-102	-	-	-
FST-103	-	-	-
FST-106	-	-	-
FST-107	-	-	-
FST-110	-	58	-
FST-111	-	89	-
FST-112	-	-	-
FST-113	-	-	-
FST-115	-	-	-
FST-116	-	-	-
FST-119	-	-	-
FST-120	-	-	-
FST-121	-	-	-
FST-123	-	-	-
FST-124	-	-	-
FST-125	-	-	-
FST-126	-	-	-
FST-129	-	-	-
FST-133	-	-	-
FST-148	-	-	-
FST-150	-	86	-
FST-151	-	65	-
FST-152	-	75	-
FST-153	-	45	-
FST-154	-	45	-
FST-155	-	45	-

I	I	1
FST-156	-	-
FST-157	56	113
FST-158	56	113
FST-159	-	44
FST-160	-	-
FST-161	95	-
FST-162	-	11
FST-163	1	21
FST-164	-	-
FST-165	14	83
FST-166	48	6
FST-167	-	36
FST-173	10	-
FST-174	21	21
FST-175		_
FST-178	_	_
FST-179	_	_
FST-182		
FST-183	-	-
FST-185	-	-
	-	-
FST-194	-	-
FST-195	-	-
FST-197	-	-
FST-198	-	-
FST-199	-	-
FST-200	-	-
FST-201	-	-
FST-202	-	-
FST-204	-	-
FST-208	-	-
FST-211	-	-
FST-212	-	-
FST-213	-	-
FST-216	-	-
FST-217	-	-
FST-218	-	-
FST-219	17	19
FST-222	35	-
FST-223	70	44
FST-224	-	21
FST-226	-	-
FST-229	40	-
FST-231	-	-
FST-240	-	-
FST-241	-	-
FST-242	-	-
FST-243	-	_
FST-244	-	-
FST-245	11	13
FST-245	18	-
101-240	10	-

FST-156	-	-	-
FST-157	-	169	-
FST-158	-	169	-
FST-159	-	44	-
FST-160	-	-	-
FST-161	-	95	-
FST-162	-	11	-
FST-163	-	22	-
FST-164	-	-	-
FST-165	-	97	-
FST-166	-	54	-
FST-167	-	36	-
FST-173	-	10	-
FST-174	-	42	-
FST-175	-	-	-
FST-178	-	-	-
FST-179	-	-	-
FST-182	-	-	-
FST-183	-	-	_
FST-186	_	_	-
FST-194	_	_	-
FST-195	-	-	-
FST-197	-	-	-
FST-198	-	-	_
FST-199	-	-	_
FST-200	_	_	_
FST-201		-	
FST-202	-	-	_
FST-204	_	_	_
FST-208	_	_	_
FST-211	_	-	_
FST-212	_	_	
FST-212	_		
FST-216	-	-	-
FST-217	-	-	
FST-218		-	
FST-219	_	36	
FST-222	_	35	
	-	114	
FST-223 FST-224	-	21	
FST-224 FST-226	-		-
FST-226 FST-229	-	- 40	-
FST-229 FST-231	-	40	-
	-	-	-
FST-240	-	-	-
FST-241	-	-	-
FST-242	-	-	-
FST-243	-	-	-
FST-244	-	-	-
FST-245	-	24	-
FST-246	-	18	-

FST-247	17	-	FST-247	-	17	-
FST-248	14	-	FST-248	-	14	-
FST-249	-	32	FST-249	-	32	-
FST-250	341	338	FST-250	-	679	-
FST-251	173	-	FST-251	-	173	-
FST-252	-	-	FST-252	-	-	-
FST-253	-	-	FST-253	-	-	-
FST-254	6	-	FST-254	-	6	-
FST-256	-	-	FST-256	-	-	-
FST-257	-	-	FST-257	-	-	-
FST-258	-	-	FST-258	-	-	-
FST-259	-	-	FST-259	-	-	-
FST-260	-	-	FST-260	-	-	-
FST-261	-	6	FST-261	-	6	-
FST-262	-	-	FST-262	-	-	-
FST-263	-	-	FST-263	-	-	-
FST-264	-	-	FST-264	-	-	-
FST-266	-	49	FST-266	-	49	-
FST-268	114	28	FST-268	-	142	-
FST-269	-	-	FST-269	-	-	-
FST-270	-	-	FST-270	-	-	-
FST-271	-	-	FST-271	-	-	-
FST-272	-	-	FST-272	-	-	-
FST-273	-	-	FST-273	-	-	-
FST-274	-	19	FST-274	-	19	-
FST-275	63	63	FST-275	-	126	-
FST-276	-	-	FST-276	-	-	-
FST-277	10	-	FST-277	-	10	-
FST-280	-	-	FST-280	-	-	-
FST-290	41	-	FST-290	-	41	-

14. QUALITY OF THIS PROGRAM

List core indicators, student outcomes, partnerships, certificates, degrees, articulation, faculty qualifications, diversity, grants, equipment, and refer back your responses in sections 5 - 13 to give a complete analysis of the quality of this program.

The program quality is deemed high by administrators and personnel at IEC and PVC. This is owing to the consistently high completion and retention rates, high SLO performance, stable enrollments and excellent program management and collaborative skills exhibited by IEC and PVC personnel.

15. FINANCIAL TRENDS

Comment on annual budgeted-vs.-actual program expenditures for each of the preceding five (5) years as to personnel salaries, benefits, supplies, contract services, capital outlay and other

expenditures. Explain deviations from budget exceeding 10% of any line item. Describe plans for future budget changes.

	Budgeted	Expended
2012-2013		1
Benefits	\$0.00	\$6,899.57
Consultants	\$659,549.00	\$697,054.63
Copying/Printing	\$20.00	\$0.00
Rents and		
Leases	\$0.00	\$533.32
Salaries	\$0.00	\$56,597.27
2013-2014		
Benefits	\$0.00	\$5,983.66
Consultants	\$659,549.00	\$803,667.38
Copying/Printing	\$20.00	\$0.00
Rents and		
Leases	\$0.00	\$906.27
Salaries	\$0.00	\$53,366.14
2014-2015		
Benefits	\$0.00	\$3,810.58
Consultants	\$600,000.00	\$1,265,757.26
Rents and		
Leases	\$0.00	\$0.00
Salaries	\$0.00	\$31,324.30
2015-2016		
Benefits	\$4,415.00	\$7,975.63
Consultants	\$900,000.00	\$1,172,845.38
Contracts	\$0.00	-\$62.00
Copying/Printing	\$0.00	\$0.00
Rents and		
Leases	\$0.00	\$4,070.30
Salaries	\$31,500.00	\$57,522.62
2016-2017		
Benefits	\$8,672.51	\$8,672.51
Consultants	\$1,261,328.88	\$1,400,000.00
Rents and		4.5
Leases	\$3,348.35	\$3,348.35
Salaries	\$57,734.78	\$57,734.78
2017-2018		
Benefits	\$0.00	\$3,967.41
Consultants	\$1,177,394.00	\$1,770,390.10

Salaries	\$0.00	\$22,567.72
2018-2019		
Benefits	\$3,796.31	\$3,796.31
Consultants	\$1,766,824.85	\$1,640,019.50
Salaries	\$19,378.84	\$19,378.84
2019-2020		
Benefits	\$2,478.61	\$2,478.61
Consultants	\$1,623,902.50	\$1,623,902.50
Salaries	\$12,278.28	\$12,278.28

16. REVENUE AND EXPENSES

a. State the revenue of the program (using FTE data, grants, and anything else) for the preceding two academic years.

Year	Term	FTES
2014	2014FA	295.35
2014	2015SP	288.30
2014	2015SU	112.21
2015	2015FA	352.40
2015	2016SP	383.48
2015	2016SU	133.93
2016	2016FA	394.00
2016	2017SP	410.07
2016	2017SU	131.22
2017	2017FA	450.61
2017	2018SP	532.22
2017	2018SU	134.66
2018	2018FA	517.31
2018	2019SP	598.26
2018	2019SU	194.18
2019	2019FA	496.12
2019	2020SP	74.17
2019	2020SU	1.30

b. State the expenses of the program (salaries, equipment purchases, contracts, and supplies) for the preceding two academic years.

See response to Section 15 Financial Trends.

c. State the dollar value of in-kind contributions of time and/or resources during the preceding two academic years.

There are no in-kind contributions to the FST program.

17. FACILITIES AND EQUIPMENT

a. Are current facilities, such as classrooms, offices and equipment adequate to support the program? Explain.

Under the instructional services agreement between PVC and IEC, IEC "shall provide equipment, materials, day-to-day management support, ancillary student support services, and all other related overhead necessary to conduct the [PVC's] affiliated programs." Furthermore, IEC in cooperation with PVC "shall ensure that all personnel, equipment, and materials used in carrying out its responsibilities under this contract conform to the Education Code, Title 5, and accreditation standards governing instructional programs and services." Finally, the instructional services agreement provides that IEC "shall allow [PVC] complete access to all instructional activities." Along these lines, PVC administration visits IEC offices and tours examples of training locations at least once annually.

b. Describe plans for future changes in facilities or equipment that would better support the program.

None at this time.

18. TWO YEAR PLAN

- a. List recommendations, project future trends, personnel and equipment need, as well as continuing and new goals. Describe activities to achieve these goals, timelines to complete these goals, and measures for evaluating success in achieving them.
 - 1. Strategize and implement steps to increase fire science degree and certificate awards, revising program content as needed.
 - 2. Examine the feasibility of delivering certain FST courses in correspondence or online modes.
 - 3. Ensure all course outlines of record (CORs) are up to date by the conclusion of the 2020-21 academic year.

b. Describe the alignment between continuing and new program goals and institutional goals and objectives stated in the current Integrated Strategic Plan, which can be found on the college website.

The following shows the alignment of the Fire Science Program goals and PVC's goal 1 from the PVC Strategic Plan: Vision 2020:

Fire Science Program Goals (Two-Year Plan)	PVC Institutional Goal 1 from PVC Strategic Plan: 2020 Vision
1-Strategize and implement steps to increase	
fire science degree and certificate awards, revising program content as needed.	1-Provide exemplary services and instructional programs in recognized and emerging fields that lead to successful attainment of degrees, certificates,
2-Examine the feasibility of delivering certain FST courses in correspondence or online modes.	employment, and transfer.
3-Ensure all course outlines of record (CORs) are up to date by the conclusion of the 2020- 21 academic year.	

Agenda Item Details		
leeting	Nov 12, 2020 - Curriculum Committee Meeting	
Category	7. Action Items	
Subject	7.7 Approve Courses to be inactivated	
Гуре	Action	
There have been of which work w best to eliminat	Please inactivate the classes below because the courses no longer exist through State Fire Training n many folks throughout the state that have worked on revamping the state curriculum below. Man ith IEC. We have updated, combined and renamed many of the courses. During the process we felt the courses below. Once these courses below are eliminated from the current PVC catalog, we will hal curriculum needed or amend the current courses to meet the required standards.	
 FST 179 FST 182 FST 186 FST 194 FST 195 FST 197 FST 198 FST 197 FST 198 FST 201 FST 202 FST 204 FST 208 	RAINING INSTRUCTOR 1A COGNITIVE LESSON DELIVERY IRAINING INSTRUCTOR 1B PSYCHOMOTOR LESSON DELIVERY IRE MANAGEMENT 1 MANAGEMENT/SUPERVISION FOR COMPANY OFFICERS IRE MANAGEMENT 2C PERSONNEL AND LABOR RELATIONS IRE MANAGEMENT 2C PERSONNEL AND LABOR RELATIONS IRE MANAGEMENT 2C PERSONNEL AND LABOR RELATIONS IRE MANAGEMENT 2B FIRE SERVICES FINANCIAL MANAGEMENT IRE COMMAND 2A COMMAND TACTICS AT MAJOR FIRES IRE COMMAND 2A COMMAND TACTICS AT MAJOR HAZARDOUS MATERIAL INCIDENTS IRE COMMAND 2B MANAGEMENT OF MAJOR HAZARDOUS MATERIAL INCIDENTS IRE COMMAND 2C HIGH RISE FIREFIGHTING TACTICS IRE COMMAND 2C HIGH RISE FIREFIGHTING TACTICS IRE COMMAND 2E WILDLAND FIREFIGHTING TACTICS IRE COMMAND 2E WILDLAND FIREFIGHTING TACTICS IRE COMMAND 2D EVILLAND FIREFIGHTING TACTICS IRE COMMAND 2D EVILLAND FIREFIGHTING TACTICS IRE COMMAND 2D EVILLAND FIREFIGHTING TACTICS IRE COMMAND 2D STATEGIC PLANNING IRE MANAGEMENT 2D STRATEGIC PLANNING IRE MANAGEMENT 2E THICS AND THE CHALLENGE OF LEADERSHIP IRE MANAGEMENT 2E THICS AND THE CHALLENGE OF LEADERSHIP IRE INSTRUCTOR ZA TECHNIQUES OF EVALUATION IRE INSTRUCTOR ZB GROUP DYNAMICS AND PROBLEM SOLVING IRE INSTRUCTOR 2D GENOVING HAD PROBLEM SOLVING IRE INSTRUCTOR 2D GENOVING HAD DYNSMAL AIDS	
 FST 216 FST 217 		
 FST 216 FST 217 		

Appendix B PVC-IEC Master Agreement